Feb/Mar \$2.00



BULK RATE G.S. Postage Paid ASHLAND, KY PERMIT NO. 90

Postal Patron Local

POWERFUL AND INEXPENSIVE BUSINESS SOFTWARE FOR ZX81, T/S1000 and T/S1500 COMPUTERS


ZX-TEXT



A word processor is to a computer user what a typewriter is to a typist, except that the former has more advantages than the latter. ZX-Text can operate in 16-64K RAM providing from 1300 to 6500 words per document. It features 6 different options: write, read, edit, print, save and clear text. Text is written on a per-line basis with quick speed and with horizontal back-space and delete capabilities being available. You can also access the editor directly from write mode and vice-versa. Text can be proof-read on a per-line basis allowing for enough time to determine if any editing is needed. The text editor allows a line of text to be deleted, inserted, replaced and listed for editing. You may also change a word or expression within a line, stop or start text while it is scrolling up the screen, begin reading text from the first line of the file, reenter write mode from the editor, return to the main-menu or create a window so that you can read-edit two files simultaneously. The print option takes text displayed in 30-column format on the screen and outputs to either the ZX/TS printer. (With Memotech's Centronics Parallel Interface 80-column and lower/ higher - case output is possible.) Files may be saved on tape cassette with the use of one single command, or by the same token they can be erased from memory / storage so that the full capacity of the program can be used for other purposes such as composing letters, reports, articles, memos, standard forms. instructions, ads, graphs, telephone directory, lists of customers, members, friends...etc. Also copies of files are always less expensive and easier to run than using a photocopier. Other advantages are savings in time, paper, ink, correcting mistakes and adding afterthoughts more efficiently than doing them through either handwriting or using a typewriter.

\$16.95

ZX-CALC



An electronic spreadsheet calculator is the fundamental basic tool for summarising, reporting and analyzing in matrix form any accounting. mathematical or scientific manipulation of numbers. ZX-Calc operates in 32-64K RAM and affords a maximum of 3360 characters / spreadsheet. The entire matrix consists of 15 columns (letters A-O) and 30 rows (numbers 1-30) with 8 characters/ cell. Unlike other popular ESCs, ZX-Calc uses in calculations and within cells all 14 math functions on the ZX-81/TS1000. It offers a unique *SUM function that totals one or more rows/columns simultaneously. Parenthesis can be used within equations. There is no fixed limit on how many equations may be entered. Formulas may be stored in all 420 cells of the spreadsheet. The display affords 15 rows/colums. Loading of data into more than one cell can occur across / down one or more row/column simultaneously. With vertical windowing you can arrange a set of columns in any order, or practice using fixed-variable alignment display formats. The menu offers 6 options: enter/erase, move, calculate, print, save and clear the spreadsheet. Enter/erase allows the entering, deletion or data alignment within a cell through the use of a mobile cursor. With the move option you may move around the entire sreadsheet to access any row, column or cell The calculate option allows you to enter labels. values or formulas into a cell or write and enter equations that will act upon the data already within the spreadsheet. You can also enter bar graphs into a cell in this option. Absolute / relative replication, down/across a column/row, is also allowed by this option. Also this option allows the automatic calculation of the entire spreadsheet with one single command. Print allows you to output to either the ZX/TS printer the entire spreadsheet by column-sets and row-pages through use of the COPY command. The entire spreadsheet may be saved on cassette tape or you may clear all data from it or erase the program from RAM entirely. The most salient advantage provided by an ESC over specifically vertical applications software is that an ESC provides a reusable framework with which you can compose any specific financial model rather than just be limited to only one statically fixed format for storing, displaying and manipulating numerical data

ZX-CALENDAR



Time management is an important aspect of any serious business and personal agenda. Planning how to spend our time leaves us better prepared before and while we are spending it and we remain better organized after we finish spending it. ZX-Calendar operates in 16-64K RAM affording 25 appointments in 16K, 100 in 32K or 180 in 48K and 64K. Each appointment record holds a maximum of 220 characters. The main menu includes enter, search/check/sort, change, save, clear and print any and all appointments made on a specific date or with any party. Output to either the ZX/TS printer is permissible. This program will permit you to remember to do something or to be somewhere important by cataloging your answers to six questions that you must account for in order not to waste time when it is scarce: when, with whom, at what time, for how long. where and what are you going to discuss and conclude when you get together with someone else? The program lets you permanently originate, record, classify, search, sort, calculate, modify, summarize, obtain a written report and store your answers to the preceding questions so that you will not forget what you decide to do with your time. This program identifies your time according to when you are going to spend it and with whom you are going to share it. Through these forms of labeling appointments you are able to verify or modify how your time is budgeted without wasting ink, paper or more time trying to remember what you said to yourself or what someone else said to you or where you placed certain written messages that you now can't find. With this program you will know where you can find exactly what you need to know about where you want to and have to be, or where you have been, before you get and after you got there. Thus, ZX-Calendar will let you plan your time so that you will never have to worry about what is ahead or what came before, for you will always know, by using it, to never be caught astray by any time-frame.

\$16.95

\$16.95 \$3.00 SHIPPING AND HANDLING/PROGRAM

A.F.R. SOFTWARE - 1605 Pennsylvania Avenue, No. 204 - Miami Beach, Florida 33139

DEALER INQUIRIES WELCOME (305) 531-6464 FLORIDIANS ADD SALES TAX

L-1 © 1984

or Deuppe

TS HORIZONS

4	IN SYNC - John Bell	19
	2068 Screen Save	
	3D Fractals (2068)- T. A. Knyszek	20
6	Label Maker (2068) - B. Ferrebee	22
8	2068 REVIEWS DAMCO Rainbow Plus	23
9	DK'Tronics Speech Synthesizer	
	그 사람이 가게 맛있다면 하는데 살아 가게 하는데	24
10	OH! Pascal!	
12	TS NEWS	25
	Ad Index	26
16	INDEX - Volume 2, Nos. 11-16	27
16		
	6 8 9 10 12	2068 Screen Save 3D Fractals (2068)- T. A. Knyszek 6 Label Maker (2068) - B. Ferrebee 8 2068 REVIEWS DAMCO Rainbow Plus 9 DK'Tronics Speech Synthesizer 1000 REVIEWS 10 Extended BASIC OH! Pascal! 12 TS NEWS Ad Index 16 INDEX - Volume 2, Nos. 11-16



#1 Nov*83 Creating/Saving Files (Johnson), Repeat Key and Uninterruptible Power Supply Projects, Numerical Analysis, Load/Save Problems, Reviews, and more!

#2 Dec'83 Matrix/Cursor Input (Johnson), User-Friendliness, Reset Switch Project, Hemory Reduction, Rule of 78, ZX Cash Register, Graphics Tutorial, etc!



#3 Jan/Feb'84 Two Animation Pro grams, Simple Loading Aid Proj. (Young), Tape File Protection, Differential Equations, Ham Radio Reviews, User Group News & More!


#4 March '84 The Death of TCC,

TS1000 Bank Switching (Hunter),

Error Recovery (Johnson), Edge



Connector Schem., Simpson Rule, Reviews, Reader Input, & more! #5 April/Nay'84 "WORM" Word Processor(Young) Pt.1, Least Squares, TS1000 Graphics Program, TS2068





#6 June'84 Ts1000 As Church Aid. Interfacing Books, Num. Analysis, Hardware Tips, "WORM"-2, Switching-3, Good News from EA Brown, Six Reviews, and more!



#7 July/Aug'84, Telecommunications Issue, 2068 Program Tips, How A Compiler Works, Rotating Globe, Byte-Back Modem, TC for Beginner, Switching-4, WORM-3, S.I.N., etc.



#8 Sept'84 TS 1000 Music Program, 2068 Plotter, 2068 Character Set (Young), Address Program, Nine Reviews, Telecommunications Column, TS News, and more!



#9 Oct/Nov '84 - ANNIVERSARY ISSUE, TS 2068 Spirograph, Dave Higgenbottom interview, FORTH for T/S Computers, Spectrum section, Bank Switching-5, Telecommunications, Reviews, etc.



#10 Dec '84 - 40 PAGES, Making Backups of 2068 Software, Banner Programs, QL, TS1000 Program Tips, Christmas program, RS100vs.TS1000, MTermII, Horizon Awards, Switching-6, TSUGs, New Column, more!

TS 1000, 2068 Word Processor Eval.-Pt.i. Software from England, Program Tips listing, TS1000 Simulated READ-DATA Issue, TS1000 Keyboard Add-on, IX:

Bar Graph, Experimenting with Byte Back for TS1000, 2068 W.P. Eval.-Pt.2, Worm Enhancements, User Defined Rampacks on the 2069 Simulated READ-DATA Issue, TS1000 Keyboard Add-on, IX:

Bark Switching Concluded, MTERM Graphics for 2088 The State of the 2069 Simulated READ-DATA Issue, TS1000 Keyboard Add-on, IX:

Bark Switching Concluded, MTERM Graphics for 2088 The State of the 2069 Simulated READ-DATA Issue, TS1000 Keyboard Add-on, IX:

Bark Switching Concluded, MTERM Graphics for 2088 The State of the 2069 Simulated READ-DATA Issue, TS1000 Keyboard Add-on, IX:

Bark Switching Concluded, MTERM Graphics for 2088 The State of the Institute of the Insti #14 Hay/June '85 Special HARDWARE Rampacks on the 2068, Surge Suppressor Project, User Group Report, W.P. Eval. Concluded, QL Report, Cassette Tips.

ratines, 2000 lutorial, Programs.	Changing "Fonts"-2068, Reviews. Concluded,
12-issue subscription \$15 (in US) \$21 Canada, \$25 Other Foreign \$	Subscription / Back issue Order Form
Back issues @ \$1.50 each \$	Name
#5#6#7#8	Address
	State ZipSEND TO: TS HORIZONS, 2002 Summit
Total enclosed \$	Portsmouth Oh 45662

NOTE: RATE CHANGE effective March 31, 1986. New rate will be \$15 for NINE issues (in U.S.) After 3/31/86, back isues will be \$2.50 each.

ENTER

Dear Readers.

I owe all of you an apology - that is for certain. But please forgive me if I keep it short and sweet. We have quite a bit of material to cover in this issue, and I don't want to waste too much space on apologies.

In view of our persistent difficulties in sticking to a monthly schedule, we have decided to make a change. From now on TS Horizons will be published every six weeks instead of monthly. At the bottom of this page is a schedule we intend to hold to come heck or high water. Of course, if you are a current subscriber you will still be getting 12 issues of TS Horizons for your \$15 subscription.

SUBSCRIPTION RATE CHANGE

However we are planning to change that for new subscriptions and renewals that we receive after March 31. Our new subscription rate will become \$15 for 9 issues, and back issues will be sold for \$2.50 each. We feel that these increases will be very helpful in creating a new, more dependable TSH than has been seen recently.

Another note to subscribers. In the address label of every issue of TSH that you receive is a special code that tells you when your subscription started and when it will expire. This code is two 2-digit numbers seperated by a hyphen or dash. The first number tells you the issue number of the first issue of TS Horizons you received as part of your subscription. The second number tells the final issue you are to receive unless you renew your subscription.

Note: On two occasions in the past we have made our mailing list available to others companies to use for direct mail. Both of these occassions were to respectable, Timex supporting dealers who were mailing catalogs of Timex related products. And in both cases the lists were for them to use only one time. The point I'd like to make is that if you are a subscriber and you would rather not have your name and address used by anyone but TS Horizons just drop us a postcard and we will respect your wishes. (We received a letter late last year from a subscriber who had received a chain letter from a company that apparently had access to our mailing list -

the address label on the letter exactly matched his TSH subscription label. At one time we had an outside mailing list service, and they said part of our list had been accidentally put on the wrong disk by mistake and had been released to another one of their clients. At any rate we now manage our own list in house, and that should not happen again. We apologize to those who have received any unwanted junk mail.)

CHANGE OF ADDRESS

By the way, we would like to remind everyone that if you are planning to move, please send us your change of address notification as soon as possible. Now that our mailing list is kept in house we are able to process changes more quickly, however TSH is mailed by third class mail, so even if the post office has your change of address on file, in most cases if we mail TS Horizons to your old address they would not forward it to you. Also please be sure to include the <u>zip code of your old address</u>.

UPCOMING MIDWEST TS COMPUTERFEST (May 3rd &4th)

Some very exciting meetings have been taking place in Cincinnati Ohio lately. My favorite city will be the site of the First Annual Midwest Timex Sinclair Computerfest. I was initially very pessimistic about the prospects for such an event, but now I'm convinced it has the potential to be a true success. The committee that planned the Fest (made up of TS users from Ohio, Indiana and Kentucky) has done a survey to sample the interest in the event, and we've been quite pleased. Although it's still early to say for sure, from the initial response we feel we could have as many as 1000 or more attendees. The Ramada Inn where we have reserved facilities has already gotten quite a few room reservations for the Computerfest. I got a phone call from a subscriber in Kansas City who will be flying in for the weekend.

The very active TS User Groups in Columbus, Cleaveland, and Cincinnati, have already reserved display tables. (I may even try to round up the semi-active Portsmouth user group.) Zebra Systems, Aerco, E. Arthur Brown, G. Russell Electronics and other

Cover Date	Issue No.	Ad Deadline
February/March	17	February 7
April	18	March 21
May/June	19	May 2
July	20	June 13
August	21	July 25
September/October	22	September 5
November	23	October 17
December	24	November 14

companies have already reserved display space. I'm really looking forward to meeting these people.

What can you expect if you come to the Fest. Well, we've invited the dealers who will be there to give seminars and answer questions about their products. We will be having other knowledeable speakers also. If you've ever wanted to see a QL, or disk drives for the TS 2068 or 1000, or some other product up close, here's a great chance. We're also planning a "swap-fest", where you can buy, sell our trade used hardware, software and books with other users. User groups have original and public domain software that you can copy for free or at a nominal cost. (Pirating of copyright software will be strictly prohibited. The entire committee has agreed that such pirating would be very damaging to purpose of the computerfest, and we will do everything we can to make sure it does not take place.)

Also we will try to provide information on activities in the Cincinnati area to make the trip enjoyable for your entire family - if you decide to bring them, and they aren't interested in the Computerfest.

Cincinnati is a beautiful city and if it's within your means you should consider coming to this historic event. Bring your family and make it a vacation. Riverfront Stadium, Cincinnati Zoo, Kings Island and other theme parks, and several 5-star restaurants are located in the area. A registration form and . more information are found on the next page. We'll have more on the convention in the next issue.

IN THIS ISSUE

We have a present for all of you TS 2068 users. Turn to pages 16 and 17 of this issue. The yellow insert there is a bonus from Zebra Systems. The present is strip at the bottom of the pages. This is a special keyword finder that can be taped on the top of your 2068. With it you can rapidly find any keyword or symbol without looking it up in your manual (If you don't want to mangle your magazine you can Xerox it in two pieces and tape them together). This bonus appears through the courtesy of Banta Software.

We hope to have a similar cut-out and page of goodies for TS1000/ZX81 users next issue.

There are a lot of good words I'd like to say about Peter McMullin, Bob Woish and our other contributors in this issue, but I'm afraid we don't have the room. Thank you all, subscribers and contributors for your patience and understanding. That makes it all worthwhile for me.

See YOU in six weeks. Rick Duncan

GAMES TO LEARN LEARN BY, INC.

40 TO 50 % OFF Charles Warner Consolidation Sale ** Feb. 15 to April 30 Williamsburg, Mass. Williamsburg, Mass. 010% (413)-268-7505 010% PSION Vu-File, Vu-Calc & Vu-3D \$8.00 01096

Timex TS2068 Cassettes \$5.00 ea.
Penetrator Flight Simulator Androids Pinball Bragmaster Chess States & Capitals Spelling 1 Spelling 2 Word Cross \$5.00 each Word Play 1 Word Play 2 Time Teacher 1 Math Wizardary 1 Personal Portfolio Personal Home Finance Blind Alley Circuit Board Scramble Casino 1 Crossfire Fun Golf Crazybugs Blind Alley Budgeter Home Improvement Manager Hungry Horace Horace

and the Spiders Stock Warket Simulation Timex TS2068 Cartridges \$9.00 each Androids Crazybugs States and Capitals

Fisher Price and Spinnaker \$6.00 each 6 Number Tumblers Dance Fantasy Up & Add'em Logic Levels Aegean Voyage Fraction Fever Kindercomp Kids on Keys Make A Face

Games to Learn By, Inc. \$5.00 eac \$5.00 each Mystery Manor Electric Cost Analyzer Budget Minder Generala T.V. Trivia Stamp Collector Amortization Pack Executive's Calendar Lost Island

** OTHER GREAT BUYS ** \$5.00 EACH DEATH CHASE CHEQUERED FLAG FROGGER BACKGANNON MOONSWEEPER MAILING LIST SUFFERITTER VU-Calc & Vu-File the Organizer TS1000 Computer \$25 TS1500 Computer \$55 TS1000 & TS1500 16K Ram Pack \$10.00 and 2068 PRINTER ** \$25.00 ** TS1000/1500

OFFICIAL "MIDWEST TS

CINCINNATI, OHIO

MAY 3RD AND 4TH 1986

9:00 AM to 5:00 PM

RAMADA INN, SHARONVILLE

The Midwest Timex/Sinclair Computerfest is now committed and WILL be a reality.

Organized and sponsored by users from Ohio, Indiana and Kentucky this event promises to be an outstanding assembly of TS users from throughout the Midwest, if not the nation. Response to the initial mailing notice of the planned Computerfest has been much much greater than anticipated and your committee is proceeding with great excitement for an unequaled assembly of TS users.

The Ramada Inn location is located on I-75, and is easily accessable from I-71, I-275, and other connecting Interstate highways.

Response to the initial mailing notice of the planned Computerfest has been much much greater than anticipated and your committee is proceeding with great excitement for an unequaled assembly of TS users.

The Ramada Inn location is located on I-75, and is easily accessable from I-71, I-275, and other connecting Interstate highways.

We have contracted for 1280 square feet of floor space, with an option for an additional 1200 square feet if necessary.

Excitement is running at a high level as your committee receives letters and telephone calls from dealers and vendors indicating their full support and participation.

Program Chairman Tom Burt is scheduling activities for both days that will be of interest to everyone attending including door prizes and drawings.

Your participation in this affair is necessary for complete success.

Guest Attendance rates, includes both days.
Individual Registration, prior to March 15.....\$4.00
Registration after March 15.....\$5.00
Family Registration, prior to March 15......\$7.00
Registration after March 15.....\$8.00

All advance registration fees must be received prior to March 15 to qualify for the discount prices

CONVENTION" Registration

LODGING:

We have made arraingements for Commercial room rates at the RAMADA INN.

\$40.00 single, \$48.00 double.

Mention The Midwest Timex Sinclair Computerfest when making your reservations.

Other area Motels include the Holiday Inn, North; The Marriott Hotel; The Raddisson Inn, Cincinnati; and The Sharon Exit Motel. We do not, however, have commercial arraingements with any motel except the Ramada Inn.

Access to the Ramada and other motels is from the Sharon Rd.

exit off I-75, 1/2 mile south of I-275.

The Tri-County shopping mall is located in the Computerfest area with more than 100 shops to serve your every need or desire.

ENTERTAINMENT:

motels, is The Ramada Inn, Sharonville, and other area conveniently located on I-75 just minutes from downtown Cincinnati and Northern Kentucky night club and entertainment areas. Only 12 minutes to fabulous KINGS ISLAND; The Football Hall of Fame; The Jack Nicklaus Sports Center, featuring an 18 hole Championship course, and other sports activities. The Riverfront Stadium, home of the Cincinnati Reds, hosts the Reds and Mets on May 3 and 4 for afternoon games starting at 2:15.

Make your plans now to visit the Queen City, and help to make this a memorable Timex Sinclair gathering.

ADVANCE REGISTRATION

I'LL (WE'LL) BE THERE!!!!

NAME: **ADDRESS** CITY, STATE, ZIP.

NO	INDIVIO	DUAL F	EGISTRAT	IONS	9	\$4.00	\$.	
NO	FAMILY	REGIS	TRATIONS	2 \$	7.0	30	\$.	

Send this form together with your check or money order to: The Midwest T/S Computerfest 3832 Watterson Ave.

Cincinnati, Ohio 45227

You will have a great time!!!!!

Guest EDITorial

From the "SAVE A DOORSTOP" Department

Many of you are aware of the CompuServe TIMEX forum in the club section. Every Wednesday night at 10:00 Eastern Time, there is a Timex Sinclair Conference on a private channel. This is a great place to stay in touch firsthand with the TS world. Regulars include representatives of many companies - Curry Computer, Zebra, TS Connection, and RMG, just to name a few. Here you can keep abreast of up-to-the-minute products and developments from all over the globe. You can even place orders for products 'live' on-line and get immediate checks on availability, prices, acknowledgements of orders, etc. This is really front-line stuff, here. One need only purchase a modem and sign up for Compu-Serve to participate.

Another benefit of the CIS club is the message board, where TSers from all over leave notes for each other. The receiving party is automatically notified at log-on when there is a message waiting for him. Unless the sending party chooses to make it a private message, anyone else can read it and even respond.

After last Wednesday night's meeting on the private Conference channel, I stopped by the message board to read the mail. One of the on-going strings of messages caught my attention, and even stirred me somewhat. It concerns the disposition of all those ZX81s and TS1000s that are collecting dust in the bottoms of closets nationwide. A few of the ideas were to use two of then to hold up color monitors, to gut them and use the cases to store floppy disks, and even to use them as doorstops!

Kinda sounds like some of us have forgotten the virtues of the small computer. Remember back in the very early '80s when the notion of owning ANY computer was an exciting



thought? Remember how exciting it was when that little black wizard first graced your kitchen table? Maybe you even experienced the exhiliaration of secing the ominous little inverse 'L' on the bottom-left hand corner of a ZX80. Yes, it's pretty easy to forget all that initial anticipation after a few years of fancy computing tables, color monitors, complex sound generators, microdrives, modems, and all we've learned since. Think back to those first dozen or so issues of 'SYNC'. Really now, wasn't it wonderful?

Well, why not pass that magic on to someone else? If you're not using that ZX80 or 81 anymore, why not let it live on in the eager hands of someone who'll learn from it, be delighted by it, come to love it just as much as you first did in those early days when home computers were just becoming popular? If I may, I'd like to suggest younger people - kids in the 10 to 18 bracket. These kids are not likely to have been overwhelmed by the fancy colors and sounds of the present generation 2068s, QL's, Amigas, and IBMs. Think now, how many of you have a TS1000 you have forgotten about sitting in the botton of a drawer sonewhere? Why not donate it to the local Cub Scouts or Brownies, or the local Grade School? Maybe you have a nephew or neice who doesn't have a computer in the house. How about a neighbor? The local Big Brother or Big Sister chapter would certainly welcome a donation of this kind.

If you would like to get your unneeded micro to a good home and don't have the time or means to do so, I will volunteer to take care of it for you and let you know exactly where it went.

Mail to: Computers for Kids
C/O Bob Woish
1700 Butler Plke, 32-F
Conshohocken, Pa. 19428

Please don't let these marvelous little machines turn into doorstops! If you make a donation of this type, let me know. If you want me to do it for you, send it along. Either way, each donation will be mentioned in a future column and submitted to TS HORIZONS for publication.

Help keep the TS Spirit alive!

THE BOX TRILOGY

For the TS 1000, 16 K RAM by C. Vernon Tidwell
FASTBOX + FLASHBOX + DOODLEBOX

This program will put a box outline anywhere on the screen at machine code speed. A machine code subroutine is generated into a REM statement and that relocatable subroutine is called with a RAND USR statement.

Enter the following program as listed (Line 10 contains 71-numbers). Check for errors!

FASTBOX 10 REM 12345678901234567890123 45678901234567890123456789012345 6789012345678901 100 REM "FASTBOX" 102 REM BY: C. VERNON TIDWELL 104 PRINT AT 3,10;"""FASTBOX""" ; TAB 40; "(A SUBROUTINE)",,,,,"CO LUMN TO START BOX= ?" 106 INPUT C1 108 PRINT AT 7,21;C1 110 PRINT "COLUMN TO END BOX= ? 112 INPUT C2 114 PRINT AT 8,19;C2 116 PRINT "ROW DOWN TO START BO 118 INPUT R1 120 PRINT AT 9,23; R1 122 PRINT "ROW DOWN TO END BOX= 124 INPUT R2 126 PRINT AT 10,21; R2 128 LET A= (33*R1)+C1 130 LET A1=INT (A/256) 132 LET A2=INT ((A/256-A1)*256) 134 LET B=C2-C1-1 136 LET C=R2-R1 138 LET D=32-B 140 LET E=C2-C1 142 POKE 16519, A2 144 POKE 16520, A1 146 POKE 16525, B 148 POKE 16541, C 150 POKE 16549, D 152 POKE 16555, E 154 POKE 16563, D 156 POKE 16569, B 158 CLS 160 RAND USR 16514 162 STOP 9000 REM MACHINE CODE LOADER 9001 DIM Z\$ (3) 9002 FOR N=16514 TO 16584 9003 INPUT Z\$ 9004 PRINT Z\$;" "; 9005 POKE N, VAL ZS 9006 NEXT N 9007 STOP

Do not RUN the program yet. First enter GOTO 9000. Now enter the following machine code from the table of number sets. There are 71-sets of numbers to enter. Starting at the top left, type the first set, "42" then press ENTER and work your way across the table in the same manner. When you are done, your table will look exactly as the following table of number sets. Save a copy of your program now for safety!

42	12	64	35	1	0	0	9
54	7	6	0	167	120	254	1
56	5	35	54	3	16	251	35
54	132	6	0	167	120	254	2
56	14	17	0	0	25	54	5
17	0	0	25	54	133	16	242
1	0	0	9	54	130	6	0
167	120	254	1	56	5	35	54
131	16	251	35	54	129	201	

Before running the program, remember that the columns are numbered across the screen from 0 to 31 and rows are numbered down the screen from 0 to 21. (The smallest box 0,1,0,1; and the largest box 0,31,0,21).

Run the program and answer the questions when prompted. Upon completion, the screen will clear and a box will appear. Line 10 is now the completed FASTBOX subroutine. Each time you enter a RAND USR 16514 statement in a program added to this line a box will appear.


To have some fun with the program after loading the initial machine code, do the next alteration. This new program is called FLASH BOX. Remove Lines 100 through and including Line 126. Add the following lines:

100 RAND 0 102 LET C1=INT ((k*D*15)+1) 104 LET C2=C1+INT ((RND*16)+1) 106 LET R1=INT ((RND*10)+1) 108 LET R2=R1+INT ((RND*11)+1) 161 GOTO 100

Check your work and run the program; press BREAK to exit.

If you are a little eccentric and wouldn't own a pencil but do remember the old days before computers when you liked to doodle, then try this further program alteration to the FLASHBOX program you just created.

Remove Line 158. Run the program. You guessed it, DOODLEBOX! and the computer will doodle-all-day.



ZX 81 NEWS AND RESOURCES

BY PETER McMULLIN

I offer two unequivocal statements for the record:

1: Yes, ZX81 user support has moved "underground".

2: NO, the ZX81 support market is NOT dead!

Because of fact#1 (despite fact#2 ?), I am constantly encountering fellow computerists who simply don't know where to turn for information about support for their computer. The state of the IX81 market is such that user participation, communication, and mutual support are absolutely crucial. When Timex pulled the plug, so did many of the larger aftermarket support companies. What did that leave? The truly dedicated supporters and enthusiasts who saw the potential of the machine, rather than just the dollar signs in an "up" market.

Fact is, folks (newcomers and old hackers alike): the free rides are (long since) over. It's up to US to support suppliers with our business if we expect them to continue. It's up to US to communicate with each other- to share information and ideas. I speak from both sides of the fence here: Timex's exit has rendered us equal, supplier and user

alike, in autual support requirements.

Many newcomers to ZX land have expressed concern that there isn't much ZX81 support available these days. NOT SO! A lot of the extraneous garbage (which certainly padded out the appearance of the marketplace) has disappeared, but what's left is the cream of the crop. Name virtually any conceivable software application, hardware upgrade, or communications support that was ever available during the "Timex peak": all the best is still available, and will continue to be for a while. My list is still growing, not shrinking!

Now arise the questions:

-"How do I find out who this stuff is available from?"

-"Where and how can I learn more about my computer, and share what I've discovered with others?"

Fortunately, there are several answers. Participate in the activities of your local User Group. Set to know the skills & interests of other members- and make yours known, too. There's ALWAYS someone who can benefit from knowledge you may take for granted. Similarly, those who don't ask don't get. DO NOT be embarrassed to ask questions of more experienced users. We all-must start somewhere. I've never met an unfriendly IX user!

There is no rule that says you can only belong to one User. Group. Currently, in addition to at least 5 dedicated "real" magazines", there is a large (and growing) number of active User Groups across the continent, many of which publish excellent Newsletters. By subscribing to a few of these publications, you will find yourself overwhelmed at the resources available to you. Your interaction with support publications should NDT stop with your subscription check! The articles & letters you read were contributed by someone just like you. So if you have a program you've written, news you'd like to share, praise, or a gripe, then write about it and send it in! Most newsletters also offer free classified ads to subscribers as an additional benefit.

** BUG ALERT ** BUG ALERT **

Owners of AERCO CP-IX Vers. 2.2 Centronics interfaces please take note. The AERCO CP2.2 ROM has, in addition to an ASCII printer driver, a Disk Boot routine patched into the machines' initialization. On power-up, it checks for an AERCO Disk interface, and if there is one, it proceeds to load the Directory page from Drive A. If there's no Disk system, the initialization continues, and up comes 0/0 (!). This is because during the Disk? check, the CP2.2 actually forces the

machine to execute a BASIC line embedded in the EPROM code. Thus, the machine comes up with a 0/0 instead of a K cursor.

To the point: in the midst of this exotic initialization scheme, the CP2.2 somehow sets up addresses 16507 and 16508 to hold a critical status flag for the operating system. To the normal ZX/TS ROM, these two bytes are completely unused and ignored. They frequently get used as a "cache-all" register by many Machine Code programs (e.g. HOT-Z, ZXLR8, & many "toolkits"). The problem is, with the CP 2.2 interface attached, ANY PROGRAM which loads in from tape with values other than 0 in 16507/16508 will crash if you try to BREAK it. Even if a program loads in with these bytes OK, if it changes their value at any time, you are probably out of luck.

Some programs which exhibit this problem can be "cured" by loading the program without the interface attached; Break, then POKE 16507 and 16508 with 0, and re-SAVE the poked version to tape. The new version should now LOAD (and Break) OK with the interface attached.

AERCO now have available an improved version of their CP-ZX ROM, Vers. 2.3, which they claim has the problem eliminated. If you have a 2.2 or earlier version of the AERCO ZX CPI, you should enquire about getting an updated version (either free or for a very nominal price) from AERCO, 7606 Robalo Rd., Austin, TX 78757.

** HARDWARE USER REPORT **
SUBJECT: The JLO Video Upgrade Project, available from
The John L. Oliger Co.,
11601 Whidbey Dr., Cumberland, IN 46229

INTRODUCTION: Since Mr. Oliger manages to keep quite busy without doing any real advertising, a lot of folks are unaware of the fine products he has available for the ZXB1. A certain mystique has built up around JLO products, which I hope to dispel. Yes Virginia, John Oliger is a real person, who answers mail, ships orders on a realistic schedule, and has some pretty neat ideas.

Just what sort of peripheral is this Video Project? Let me begin with a sweeping analogy: the Video Upgrade Project is just like a video monitor, a disk interface, or a fullsize printer. Once you hook up a monitor and get used to it, the ol' TV set just won't do anymore. When you get a disk drive, you madly transfer all your software, and then avoid cassettes like the plague. When you get a real printer, the 2040 generally becomes a hi-tech paperweight.

Likewise, after having the Video Project (VP from here on) for a couple months, I loathe going back to the flashing, flickering smail's pace of "normal" video which I have lived with for so long.

WHAT IS IT? Remember the ill-fated Kolorworks board, and the ColorSin81? Both were color video boards for the 2K81, which never really hatched due to various impracticalities. The JLO VP surpasses both. It is elegantly simple, thus economical. The firmware integration to BASIC reflects the same qualities, and is virtually transparent to 99% of existing software.

The VP consists of 2 circuit boards which plug into the back of your computer. These boards have a male edge connection only, and are meant to plug into a motherboard.

Compatible motherboards are available from JLO, or from Maplin or Eprom Services in the UK.

Video Board "A" holds a Texas Instruments TMS9918A Video Display Processor, 16K of dedicated Video RAM, and 1 decoder chip. This video RAM does not occupy any of the Z8O's address space— the Z8O communicates with the VDP & video RAM through I/O ports 3F & 7F.

Video Board "B" has sockets for two 2764 (8K) EPROMS, and 4 decoder chips. Eprom "A" is mapped to the 0-8K area, and overrides the internal ROM in your computer. It is identical to the IX BASIC ROM, except for the parts which deal with generating a video diplay. All the real work is now done by the VDP. The ZBO just sends it the necessary data and is free from the actual task of generating video.

WHAT DOES IT DO? Two advantages which are immediately apparent are speed, and continuous display. In SLOW mode, the computer is now almost as fast as in FAST mode. In fact, it can be difficult to tell which mode you're in at times. In FAST mode, the display doesn't go blank. It just remains static until you come to a PAUSE, INPUT, or SLOW command. There is absolutely no screen "jump", flashing, or flickering, at all, in either SLOW or FAST mode. Entering and editing BASIC programs is a real pleasure, especially in FAST mode. The old screen reformatting games of the IX81 are gone! When you Enter a line, it simply (zap) appears in the listing. LOAD and SAVE are rather interesting. When you enter a LOAD or SAVE command in FAST mode, the command stays on the screen through the tape operation. SAVE and LOAD activity is shown by the border rapidly flashing through a sequence of 16 colors! effect is similar to that of the 2068 LOAD & SAVE patterns.

How about software compatibility, kit building details, and the bottom line?

SOFTMARE COMPATIBILITY: As mentioned, the JLO VP is compatible with just about all software. The main exceptions are fast machine code arcade games, like Frogger, Pac Rabbit, etc. They run, but so fast they're generally impossible to play. By the same token, some games that were boringly slow before are now a real challenge. Psion Flight Simulator now responds like a jet fighter rather than a Cessna. Mazogs is simply a hoot. BASIC programs with lots of calculations or plotting really benefit, too. The only software I have found that's truly incompatible with the VP uses software-only means to simulate hi-res with the standard machine, or tries to peek the character generator of the RDM to get pattern data. This includes games like Forty Niner, Sea Mines, and IXtricator, and utilities like N. Elmaleh's SW HI RES and Callisto's Braphica. You simply have to unplug the video boards and use standard video for these programs.

CAVEATS, THE BOTTOM LINE, ETC.: The Video Project, as the name implies, is available only in kit form. You may purchase either just the bare circuit boards with instructions, or get an (almost) complete kit of parts. For \$48.95 U.S., you can get both boards and all parts except for the actual VDP chip and its crystal. The TMS9918A VDP chip is available from several parts suppliers at widely varying prices. The best I've seen is \$9.95 from Jameco Electronics, in Montreal. The 10.7386MHz. crystal is also generally available for about \$5.00. When you order a VP kit, JLO will include a listing of the current best sources for the VDP & crystal. By the time you account for all the tidbits, allowing for a motherboard if you don't already have one, etc., this whole thing is roughly a \$100.00 proposition.

The kit instructions are complete and reasonably clear, but I really can't recommend this as a first-time project for the prospective kit builder. You must be able to do very fine soldering on these circuit boards, and some familiarity with good electronic assembly & soldering practices is truly an asset. My only complaint is that, for economy's sake, the feedthrough holes on the double-sided circuit boards are not plated through. This means you must solder in a healthy number of tiny wire feedthrough conductors before mounting any parts

on the circuit boards. Believe me, this is a tedious and time consuming task, after which soldering the actual parts in place is a breeze.

A minor modification must be done inside your computer to permit functioning of the VP. The NMI line between the ULA and the CPU must be cut, and a diode and resistor added. This is very simple to do, and does not affect the normal operation of the computer. This mod is much easier to do on the older Issue 1 ZX81 boards than on the later Issue 3 layout.

Last but not least, you must supply and program your own 2764 EPROM for the modified operating system. Mr. Oliger will supply a tape for his 2764 programmer, which contains the necessary code and will automatically program your new EPROM. Most of the code is gotten from your resident ROM, so if you have, for example, Tom Bent's 8K ROM UPGRADE, all the improvements in it will also appear in your new video ROM.

John Oliger has kindly put his operating code in the public domain. If you don't have an Eprom programmer, don't despair. Tom Bent will supply the VP EPROM with his Vers.10 ROM improvements as well, for \$25.00. I can supply a VP EPROM based on the TS1000 ROM for \$10.00, to cover cost of the EPROM and postage. In either case, you must specify whether you want 16K or 64K RANTOP initialization, default paper, ink, and border colors, etc. That's the lazy way out, though. An EPROM programmer is a really handy gadget to have around, and represents a modest investment. JLO's programmer is a snap to assemble— it uses plated through holes. Building up a motherboard & EPROM programmer is good practice— it'll sharpen up your soldering skills (and confidence) before tackling the Video Project. And you'll learn a lot more.

ADVANCED FEATURES: So far, we've discussed only how compatible the VP is with existing software. By executing certain RAND USR commands, you can choose between normal ZX characters, or lower case instead of inverse on the screen. The old system variable MARGIN is now the COLOR system variable: you can poke different values to this address to select INK and PAPER from 16 different colors. That's the limit of the extra commands available from BASIC, but by using machine code to communicate with the VDP, it is capable of 32, 40, or 64 column screens, true hi-res color graphics which are in some respects superior to 2068 graphics capabilities, and real sprites, definable on 32 different planes! In addition to this, the VP removes virtually all the funny display-dependent limitations of the machine. Minor modifications will permit machine code to run anywhere in 64K, and even Mode 2 interrupts can be used. For machine code programmers, the IX register is now available for use, and the R register is used in the normal 280 fashion. No limitations exist on the location of DFILE in RAM, and "illegal" characters (i.e. tokens) can even be poked into the DFILE without causing a crash. Since the character patterns are stored in video RAM rather than in ROM, it is possible to have programs load in with user-defined character setsexcellent for games and wordprocessors. I'm now running Word Sinc II.5 with upper and lower case onscreen, as well as special symbols for control characters. Prospective software support is exciting, too: Silicon Mountain Software now have a tape version of Memotext with a 64 col. onscreen viewing option, as well as a 64-col. hi res color extended BASIC for release in the not too distant future. And Callisto Software will be producing an exotic graphics toolkit for use with BASIC, as well as a hi-res screen, color version of Sinc-Artist!

IN CONCLUSION: The JLO Video Upgrade Project is an extremely well conceived and executed product. For the ZX81/TS1000 hobbyist, this is an excellent opportunity. It gives you speed and video capabilities at least equal to the 2068 (the video is actually MUCH more stable), and improves the performance of most existing software. You get SUPPORT, too. If you can't get your kit to work, you can send it back to JLO along with \$15.00, and he will locate & fix the problem for you. FEATURED NEXT ISSUE: THE AERCO FD-TX FLOPPY DISK

MACHINE CODE FOR THE MASSES: PART 2

FOR THE TS 1000 by KEVIN R. BULGRIEN

Well, here we are again! For those of you who may not have seen the last MCM article, I'll explain what we are doing. The object of this series is to present you with several machine language programs that can be used to enhance your BASIC programs. You don't have to know anything about machine language to use, these routines though. If you follow the instructions carefully, you shouldn't have any trouble. Last time, I gave a more detailed introduction, and we covered a DATA-READ simulation. If you find this article interesting, I am sure you'll want to get a copy of the last one.

This month's feature consists of five short screen scrolling routines (138 bytes total). There's one for each of the four directions: up, down, left, and right. These may be used individually to scroll the screen in the desired direction; or, by running the fifth routine, you can call up any of the other four. In other words, you may use a different USR statement for each of the scrolls, but it's also possible to use a single USR statement to access all of them. By using the later method, you also get the ability to combine a vertical and a horizontal scroll to get a diagonal scroll. Another feature of these routines is that they don't affect the CLS command in any way. As you have probably noticed, the TIMEX scroll command causes CLS quite a bit of grief. There is one limitation though, you must have at least 4K of memory so that the screen is always fully expanded.

I've thrown in a sixth routine as well. It allows you to find the address of any BASIC line rather easily. This will be especially useful as the REM statements which contain machine code start to pile up. If you POKE the line number in the right place, running this routine will give you the appropriate address. You won't have to use the mile long, and potentially troublesome, PEEK expressions that you used in the last article. I figured that this would be a welcome addition.

We are ready to enter the routines now, so you need to LOAD the loader program that I gave you last time. You should LOAD the version which has the DATA-READ routine saved with it. That way, you can have all your machine code routines in one BASIC program. If you didn't SAVE it last time, here it is again:

LOADER PROGRAM LISTING

10 PRINT "ENTER START ADDRESS"
20 INPUT A
30 CLS
40 FOR B=A TO A+175
50 PRINT (STR\$ PEEK B+" ")(
TO 4);
60 NEXT B
30 LET B=0
90 LET N=999
100 LET W=9999
110 LET Y=INT (B/8)
120 LET Y=INT (B/8)
120 LET X=(B-Y*8) *4
130 PRINT AT Y,X; "272"
140 INPUT C
150 IF C<256 THEN POKE A+B,C
160 PRINT AT Y,X; (STR\$ PEEK (A+B)+" ")(TO 4)
170 IF C=N AND B>0 THEN LET B=B
-1
180 IF C<>N AND B<175 THEN LET
B=B+1
190 GOTO 110

If the line number of the DATA-READ routine is 9999 or 9998, then EDIT the line and change it to 9997. DO NOT MOVE THE CURSOR PAST THE REM! For reasons I'll discuss later, the address finding routine must be stored at the very end of a BASIC program. It is this routine which we will enter first.

To start, enter the 9999 REM statement which will hold the new routine. It should have exactly 30 characters after the REM, and, should look like this:

ORIGINAL REM LISTING 1

9999**3**REM 12345678901234567890123

Now, RUN the loader program (in FAST mode). When it asks for an address, type this statement in: PEEK 16396 + 256 * PEEK 16397 - 31. For those of you who aren't using REM statements, be sure to answer with <ADDRESS - 6> so that your screen matches the table except for the first six numbers. After the screen fills and the cursor (three inverse question marks) appears, you may enter the numbers in TABLE 1. As I explained last time, those not using REM statements should skip the first six numbers. They aren't a part of the routine, they just fix the REM statements so that the DATA-READ routine doesn't use them as data. Remember, you MUST NOT alter any of the numbers beyond the end of the table.

Here's a refresher on using the loader. When you enter a number, the cursor advances to the next position. If you find that you entered a number incorrectly, you can back up one space at a time by entering the letter N. Back up until the cursor is on top of the offending number, then re-enter the correct number. Use the letter M to get back where you left off. It advances the cursor one space at a time. If you BREAK the program by mistake, don't worry, just RUN the program again. The numbers you entered before will still be there. After you have fixed ALL of the errors, you can quit by entering the letter Q. You will notice that the screen looks exactly like the table in the magazine, except that the screen doesn't stop where the table does. This facilitates error checking. I'll remind you again, DO NOT change the numbers beyond the end of the table.

When all the numbers in TABLE 1 have been entered and checked, you should break the loader program. The REM statement should look like this:

MODIFIED REM LISTING 1

9999 REM A000 USR E?RND FAST LN ****SGN ?? C*INT 484 RUN TAN

Add this line to help you remember how to use the routine when you don't have this article with you:

ADDRESS FINDER I.D. REM

9998 REM ROCRESS OF MC IN A REM POKE 16508, INT(LINE/256) : POKE 16507, LINE-INT(LINE/256) *256 : LET ADDRESS=11+USR (PEEK 16396+ 256*PEEK 16397-25) SAVE the loader program with the REM statements now. This is in case you have missed an error that will crash the computer. Obviously, you will also need this on tape anyways, but it's important to SAVE it before testing.

To test the address finder, type the following lines into the computer. If the message "IT WORKS OK" appears, the routine is fine. If the message is not printed, or if the computer crashes -- go back and fix the errors. You may try re-entering the test lines if you think you made a mistake there.

POKE 16507,15 POKE 16508,39 IF PEEK 16396+256*PEEK 16397-36= USR (PEEK 16396+256*PEEK 16397-2 5) THEN PRINT "IT WORKS OK"

Here follows more detailed instructions for the use of the address finding routine: NEVER RUN A USR STATEMENT WITHOUT CALCULATING THE CORRECT ADDRESS! You must use this routine to calculate or re-calculate the addresses of your routines after changing ANY part of your BASIC program. You should include the address calculating statements within the program itself. If you don't recalculate the addresses, you will probably crash the computer! It may seem annoying, but that's the price one has to pay for the added benefits. You should never erase the lines holding this routine as they will be needed as long as you use my machine language routines. The instructions REM is, of course, optional, but I think you will find it helpful.

Here follows a short demonstration program that I will use in explaining the use of the address finder:

ADDRESS FINDER SAMPLE LISTING

10 LET ADDRESS=PEEK 16396+256*
PEEK 16397-25
20 POKE 16508, INT (9997/256)
30 POKE 16507,9997-INT (9997/2
56)*256
40 LET RESTORE=11+USR ADDRESS
50 LET READ=RESTORE+32

TABLE 1: ADDRESS FINDER

118 39 16 0 25 212 42 123 64 229 205 216 9 209 68 77 40 2 207 32 126 186 32 252 35 126 187 32 247 201

TABLE 2: SCROLL ROUTINES

39 33 24 0313131 113 16 140 231 55 48 5 31 56 51 241 55 245 31 56 241 58 4 31 64231 58 53365 2245 37695 64 38 24 63 167 64 99445 12357 197 193 16 42 32 245 184 25, 254 25 12 42 126 185 40 15 243 201 15 243 22 119 117 43 35 ø 24 12 185 243 247 24

Line 20 defines the address of the address finding routine IF AND ONLY IF it is the very last line in the BASIC program!

Lines 30 and 40 specify the line whose address you wish to find. Any lines used in this manner should appear at the beginning of your BASIC program. This is because other machine code routines may use the same addresses. Its a good place anyways, because then you can be sure you always have correct addresses when you RUN the program. It is not necessary to enter the whole expression after the POKE. You may fill in their equivalent values. For example, line 30 could be replaced by 30 POKE 16508, 39 since 39 = INT (9997 / 256). If you change the line number of the routine, be sure to change these lines also.

Line 50 puts the correct address for the RESTORE command into the variable. If a non-existent line number was specified, the program will stop with an L/<line number> error message. The 'L' stands for a 'Line number error'. Note that you must add 11 to the value of the USR expression. The address returned is the address of the actual beginning of the line. To get the beginning of the machine code, you have to add 11 to this address! This means that the routine could possibly be used for purposes other than the one I wrote it for.

Oh! One more thing: you'll find that your computer will never automatically list the lines after the DATA-READ REM. They are there though. If you specifically say LIST 9998 (or whatever line follows), then the computer will list the lines.

With our 'librarian' routine taken care of, we can go on to bigger and better things. You guessed it... its time to enter the scroller routines. To do so, you need to LOAD the loader program again. Be sure to LOAD the version that has the address finder routine SAVEd with it.

Let's make use of the new address finding routine by slightly modifying the loader. (Of course, if you don't store the machine code in REM statements, this paragraph does not apply to you.) By adding two POKE statements and a USR statement, the loader will accept a line number as an address. By changing the program so it looks like this, you now have a loader that's a lot easier to use:

MODIFIED LOADER LISTING

10 PRINT "LINE NUMBER OF REM F
OR M-CODE?"

15 INPUT A
20 POKE 16508, INT (A/256) *25

8 30 LET A=5+USR (PEEK 16396+256

*PEEK 16397-25)

35 CLS
40 POR B=A TO A+175

50 PRINT (STR\$ PEEK B+" ") (
60 NEXT B
80 LET B=0
90 LET M=9999

100 LET M=9999

110 LET Y=INT (B/S)

120 LET X=(B-Y*3) *4

130 PRINT AT Y,X; "***

140 INPUT C
150 IF C<256 THEN POKE A+B,C
150 IF C<256 THEN POKE A+B,C
150 IF C=N AND B>0 THEN LET B=B
170 IF C=N AND B<775 THEN LET
180 GOTO 110

After the loader program is ready, the first thing to do is type in a REM statement that has exactly 144 characters after the REM. The line number is not critical, but I'd suggest you make it 9995 so that it is right next to all the other machine code REMs. An example REM follows:

ORIGINAL REM LISTING 2

9995 REM 12345678901234567890123 45678901234567890123456789012345 67890123456789012345678901234567 89012345678901234567890123456789 0123456789012345678901234

With the REM entered, you may RUN the loader in the FAST mode. If you have modified the loader, respond to the resulting prompt with number of the REM that you the line typed in. As always, those not using REMs are advised to enter the desired address of the routine - 6. In either case, enter the numbers in TABLE 2. Once again, skip the first six numbers if you're not using a REM. I'11 It may seem repetitive, but once again warn you not to alter anything beyond the end of the table.

With the data entered and verified against the table, quit the program by entering a Q. The following REM shows what the line should look like:

MODIFIED REM LISTING 2

9995DREM

Now, enter the following name tag REM so that you know which routine is in the line you just entered. This will be important later when you have forgotten.

SCROLLER I.D. REM

9994 REM SCROLLER - DISPATCHER

At this point, SAVE the loader and routines on tape.

It's now time to explain how to use the scroll routines that you have just finished entering. Once again, I'll remind you that they must not be used unless your screen display is fully expanded. I'm told that it is always expanded when you have 4K or more of RAM hooked up for BASIC. In any case, a 16K machine will definately be using a fully expanded display.

As I mentioned before, there are two ways to access these scrolls. The first way is to use separate USR statements for each of the individual directions. The following listing shows how you can use the scroll routines in this manner:

INDIVIDUAL USR EXAMPLE LISTING

10 LET ADDRESS=PEEK 16396+256* PEEK 16397-25 20 POKE 16508, INT (9995/256) 30 POKE 16507,9995-INT (9995/2

) #258 40 LE 50

LET DISPATCH=11+USR ADDRESS LET UP=DISPATCH+33 LET DOWN=DISPATCH+65 LET LEFT=DISPATCH+96 LET RIGHT=DISPATCH+117 PRINT AT 10,15;"X" 50

100 RAND USR UP 110 RAND USR RIGHT 120 RAND USR DOWN 130 RAND USR LEFT

Try it out. If it doesn't work, better find any errors you missed while entering the table of numbers. You'll have to

The second method of using these scrolls is via a single dispatching routine which can call up any one of the four separate scrolling routines. For the dispatcher to know which scroll is desired though, requires some data to be stored somewhere. I've chosen the byte located at address 16417 since it is normally unused by the computer. A simple POKE 16417, <number> will provide the data required by the dispatcher.

required by the dispatched.

The scroll that will occur when the dispatcher is called depends upon the number and address 16417. If a 1 is that is POKEd into address 16417. It a 1 is poked, the routine will cause an UP scroll. A POKE 16417,2 will yield a DOWN scroll. Likewise, a 4 will initiate a LEFT TO RIGHT scroll and an 8 yields a RIGHT TO LEFT scroll. You may combine more than one scroll by simply adding the numbers required for particular direction. In other words, POKE 16417,5 or POKE 16417,4+1 will cause dispatcher to scroll the screen diagon diagonally towards the upper right hand side of the screen. Using this method, you may achieve a scroll in 8 unique directions. Note that adding an up and a down scroll does not do anything. Likewise, neither does adding a LEFT-RIGHT and a RIGHT-LEFT scroll.

As you can see, using the scroll routines is quite elementary. The following listing is an example of how you can use the scroll dispatcher:

SCROLL DISPATCH EXAMPLE LISTING

10 LET ADDRESS=PEEK 16396+256* PEEK 16397-25, 20 POKE 16508,INT (9995/256) 30 POKE 16507,9995-INT (9995/2

56) +256 40 LE 8) #258
40 LET SCROLLER=11+USR ADDRESS
50 LET DIRECTION=16417
50 PRINT AT 10,15; "X"
70 INPUT X
80 POKE DIRECTION,X
90 RAND USR SCROLLER
100 GOTO 70

Now that you know how to use the scroll dispatcher, try it out. If the computer crashes, you have either made an error in calculating the address of the routines, failed to correct an error while you have typing in the machine code numbers. Carefully check the USR statements against my examples first. If they are correct, then you'll have recheck and correct your mistake in the machine code numbers. You do this dure you used following the same procedure you you started the loader to enter the table the first time. Be sure to SAVE the corrected version to tape.

When you want to write a program using routines, the loader is no longer needed, and be erased line by line. You may delete any REM statements containing unused machine code routines. The address finding routine is ALWAYS used.

If you would like to fix up an already written program with these routines, you may do so by adding the loader listing to the do so by adding the loader listing existing existing program listing. Type in the appropriate 9999 REM for the address finder, and enter it. Then you can add an appropriate REM for the other routine you wish to add. Modify the loader for use with the address finder, then enter the desired routine. It is a lot more bother to fix up an existing program, but its probably less bother than re-entering the whole thing with the REMs previously created.

As with the DATA-READ routine, I will make an assembly language listing available to those who are genuinely interested. It is fully documented so that a programmer can follow the logic incorporated in the routines. If you would like this listing, please send 50 cents to cover my costs. If you have questions not answered in the article, I will attempt to answer them if you send a self-addressed and stamped envelope. If you missed the article featuring the DATA-READ simulation, you may check with TSH about getting a back issue, or I can provide a copy of the article with the assembly listing (\$2.00). My address is:

Kevin R. Bulgrien LeTourneau College #1014 P.O. Box 7001 Longview, TX 75607

Note: Usually I can respond to a request within a day or so. If, however, I can't, please be understanding. Being a college senior means that my schedule is very full. I work on this project if I find time. I had planned to try to get these articles in for every TSH issue, but it's proving to be nearly impossible - time is hard to find!

curry computer


P.O. Box 5607 Glendale, Arizona 85312-5607, U.S.A. Telephone: 1-602-978-2902 Telex (Via WUI): 6501267701

"We have had a QL for about one week now and are just beginning to appreciate the power and versatility it contains. Keep in mind that for the price . . . There is nothing that compares with it."

> The QL Report published by Curry Computer February 1, 1985

We know the QL... we've been appreciating it longer.

Write for our free catalog.





LITTLE GOODIES FOR THE 2068 by George Mockridge Edition 3

The following "Little Goodies" are a collection of tips, aids, utilities, etc. that should prove helpful in 2068 programming. Special thanks to John Kuhn of the SINC TIMES in Florida and Stuart Ree of the TIMELINEZ N/L in Northern Calif. for their help. If you have a "Little Goodie" to share, please send it along and we will add it to the next edition. THANKS.

TIMELINEZ P. O. BOX 1312 PACIFICA, CA 94044

- POKE 23609,X
 For keyboard click (x = 1 to 255)
- POKE 23692,2
 Use before every print for automatic scrolling.
 Works like the scroll command on the 1000/1500.
- POKE 23692,1
 Another way to control scroll. Scrolls 22 lines, then a key must be pressed for every line.
- 4. POKE 23658,8 Put 2068 in caps mode.
- 5. POKE 23658,0 Take 2068 out of caps mode.
- 6. PAUSE 0
 Pause until any key pressed.
- 7. POKE 23561.* (* = 1 to 35)
 Time that a key must be held down before it repeats. Prefer 10-15 for text.

- 8. POKE 23562,* (* = 1 to 5)
 Delay between successive repeats of a key held down. 3 for text.
- USR 15002
 Try this to get our of an infinite input loop w/o crashing.
 - 10. DIM A\$ (704)
 PRINT AT 0,0; OVER 1; PAPER 1; INK 6; A\$
 Allows you to change paper and ink color w/o clearing screen.
- 11. PRINT #1; AT 0,2; "HI"
 PRINT #1; AT 1,5; "BY"
 PAUSE 0
 Prints on lines 22 and 23.
- 12. LOAD ""CODE RAND USR 33792 For programs that will not load.
- 13. LET x=INT(x | y+.5) /10 | y Use for rounding. x=NO. To be rounded. y=NO. of dec. places.
- 14. 1 DEF FN r(x,y)=INT (x*10|y+.5)/10|y 2 INPUT "Enter a number"; a 3 INPUT "Round off to?"; b 5 PRINT FN r (a,b) Sets the defined function to the formula used to round off. a=no. before rounding. b=no. of dec. places desired after rounding.
- 15. INPUT LINE A\$
 Prevents computer from placing "" on screen when waiting for input. Note: can't use stop with this method, but cap shift 6 will stop. Bug in system.

BANTA 5

					ATTACHED BY THE STATE OF THE STATE OF	THE RESERVE OF THE PARTY OF THE			_
FUNCTION	CURSI	R KEYSY	FUNCTION	CUI	RSR KEYS	TEUNION (O)	CURSR	KEY5	
AB5	E	G	COS	E	U	INPUT	K	I	OVER
ACS	E	#CS+W		E	D	INT	E	R	PAPER
AND	KCL .	##55+Y		E	55+1	INVERSE	E		
ASN	E	CS+Q	DELETE	K	###C5+0	INV VDEO	KCL	C5+4	
IRT	KCL	55+I	DIH	K	D	LEN	E	K	PI
ATN	E	CS+E	DRAU	K	U	LET	K	ليسط	PLOT
RTTR	E	CS+L	EDIT	>	C5+1	LINE	E	55+3	
BEEP	E	CS+Z	ERASE	E	55+7	LIST	K	K	POKE
BIN	E	В	EXP	E	X	LLIST	E	U	PRINT
BORDER	K	В	FLASH	E		LN	E	Z	RANDON
BRIGHT	E	CS+B	FN	E	55+2	LOAD	K	J	READ
CPS LOCK	KCL	C5+2		K	F	LPRINT	E	C	REM
CAT	E		FORMAT	E		MERGE	E	CS+T	
CHR\$	E	U	FREE	E	CS+A	MOVE	E	55+6	
CIRCLE	E	C5+H		K	H	NEU	K	A	RETURN
CLEAR	K	X	GO TO	K	G.	NEXT	K	N	RND
CLOSE#	E	55+5		KCL	_ C5+9	NOT	KCL	55+5	
CLS	K	U	IF	K	U	ON ERROR	E	CS+F	
CODE	E	I	IN	E	CS+I	OPEN#	E		SCREEN
CONTINUE	K	C	INK	E	CS+X		KCL	55+U	
ICOPY_	K	Z	INKEYS	E.	recens - warmen & formation about the	OUT	E	C5+0	MSIN
				1	6				

- PRINT PEEK 23635+256*PEEK 23636
 Use to find starting address.
- 17. PRINT "
 Gives line feed to print statement.
- RANDOMIZE USR 0
 Use to reset computer.
- 19. INPUT AT 22,0; AT 10,0; "input value"; a \$ Input at any position on screen.
- 20. 1 FOR I=0 TO 21
 2 FOR X=0 TO 31
 3 LPRINT SCREEN\$ (I,X);
 4 NEXT X
 5 NEXT I
 Copy screen to printer without using copy command.
 - 21. OPEN *2

 Sends all data normally destined for the screen to the printer.
 - 22. CLOSE *2
 Cancels above command.
- 23. 1 LET C=2
 2 FOR I=32 TO 255
 3 PRINT AT 0,0,""
 4 PRINT AT 0,0; CHR\$ I
 5 IF CODE SCREEN\$ (0,0)=0 THEN PRINT AT 4,C;
 CHR\$ I: LET C=C+2
 6 NEXT I
 Lists characters not recognized by the screen\$ command.
- 24. CLEAR 63255


 Do this first if you plan to use UDG's in a long

basic program that will incorporate a video mode change. A bug in the system will allow a long basic program to overwrite you UDG's if RAMTOP is not first lowered.

- 25. POKE 23750,0
 If you are using cartridge S/W that can be stopped by the break key, this will allow you to enter your own basic lines into RAM. To return to the cartridge ROMWARE, POKE 23750,128.
- POKE 23693,56
 To give starting paper/ink color.
- 27. BASIC STARTS AT 26710
- 28. CAPS SHIFT 3
 Scroll two screen when listing.
- 29. POKE 26711,0
 Gives line no. 0. POKE 26711,1 to change line 0 to 1.
- 30. POKE 23659,0 To use all 24 lines (make program unstopable), POKE 23659, 2 resets. (Use with "INKEYS" only, INPUT resets.)

continued on next page...

Cut out the strip below and tape to the top front of your 2068. Or Xerox and tape.



Courtesy TS Horizons and Banta Software.

SOFT	WARE	808	88 Highwoo	od way	Urai	igev	ale,	CH 930	105 (31)	D) IEE	-4050
ON	CURSR	KEY5	IEUNOTON	CURSR	KEY5	FUN		KEY5	FUNCTOR	CURSR	
	E		SOUND	E	C5+G	=	KCL	55+L		KCL	55+5
	E	C5+C		E	H_	<=	KCL	55+0		KCL	55+6
	K	M	STEP	KCL	55+D	3	KCL	55+W		KCL	SS+X
	E	0	STICK	E	C5+5		KCL	55+E	S	CLIE	CS
	E	H	STOP	KCL	55+A	<	KCL	55+R	7	KCL	554
	K	0	STR\$	F	Y	>	KCL	55+T		KCL	CS+
N. P. S.	E	55+8	TAB	E	P		KCL	55+M		KCL	CS+6
	K		TAN	E	E	4	KCL	55+N		KCL	C5+7
	K	P	THEN	KCL	55+G	7	KCL	SS+C	7	KCL	C5+8
IIZ	K	T	TO	KCL	55+F	,	KCL	55+0		G	C5+1
	E	A	TPU VDEO	KCL	C5+3	3.	KCL	55+Z		6	C5+2
	K	E	USR	E			KCL	55+P	100	6	C5+3
1000	K+E	P	VAL	E	J.		KCL	55+7	1	G	C5+4
RE	E	5	VAL\$	E	C5+J		KCL	55+1		G	C5+5
4	K	Y	VERIFY	E	C5+R		KCL	55+8		G	C5+6
	E	T	+	KCL	55+K		KCL	55+9		G	C5+7
	K	R	-	KCL	55+1		E	CS+Y	- 25 020	G CHTC	C5+8
	K	5	1	KCL	55+B		E		# CS=CAP		The same of the sa
4\$	E	CS+K	/	KCL	55+V		KCL	55+2	## 55=5Y	Library Community	HIFT
	E	F	1	KCL	55+H		KCL	55+3			CAN
	E	0	1	E	CS+D	15	KCL	55+4	BE USED	RT ANY	TIME

- 31. POKE 26710.255 Use to make lines disappear (makes line NO. over 9999). POKE 26710,0 will reset.
- 32. INK OR PAPER 9 Gives contrasting base color.
- 33. E' MODE/CAPS SHIFT AND A COLOR 1 7 Gives ink color in listing.
- 34. E' MODE/UNSHIFTED AND A COLOR 1 7 Gives paper color (go back to original color at the end of the line, if not, all the lines will be the same color.)
- 35. 1 INPUT "COMMENT"; A\$; CHR\$ 13; "COMMENT": B\$ 2 PRINT "COMMENT"; A\$; CHR\$ 13; "COMMENT"; B\$ Example of double inputs.
- 36. 9000 FOR I=1 TO 200 9010 BORDER 1: BORDER 2: BORDER 3: BORDER 4: BORDER 5: BORDER 6: BORDER 0: PAUSE 1 9020 NEXT I: RETURN Gosub 9000 for a striped border.
- 37. POKE 23617,236 Use to get a question mark cursor in input statements.
- 38. PRINT *0; "COMMENT": PAUSE 0 Use to print on line 24.







The Sinclair/Timex **User's Magazine**

Hardware Projects • Hardware Reviews Software Reviews • Product Comparisons Published Monthly • Back Issues Available Free Personal Ads for Subscribers

SUM Magazine is aimed at Sinclair and Timex users who want to learn what is available for their computers, how to do things no one else is doing, and what is just over the horizon. Examples of recent articles include: Reviewing the Portuguese Disk Drive System; Rotronics Wafadrive Review; Hi-Res Graphics for TS-1000; Build Your Own Printer Interface; & a series on Beginner's Programming.

SUM Magazine invites articles, reviews, and projects for possible publication. We pay for articles published! Hardware and software producers are invited to submit their products for review.

Annual Subscription/12 issues (U.S.) Sample Copy-\$1.00

SUM Magazine

3224 NW 30 Avenue — Gainesville, Florida 32605 904/378-9000 or 462-1086

FREE **SPECTRUM** SOFTWARE



That's right! While supplies last, you will receive THREE assorted SPECTRUM Software Cassettes — FREE! when you purchase the RAINBOW plus SPECTRUM Interface!

The RAINBOW plus is a complete Spectrum Interface offering Spectrum emulation PLUS a Spectrum hardware compatible expansion port with ALL-IN-ONE compact plastic case ... and for only \$49.951

And the savings don't stop there ... We are also offering the Rotronics WAFADRIVE* for only \$125.00 with the purchase of the RAINBOW plus; or a combo price of only \$174.95 and still get the FREE Software.

The WAFADRIVE offers ● two 128K high speed drives ● Fast reliable access ● SPECTRUM compatible ● RS232 (serial) port ● parallel (Centronics) port ● extended Basic O.S. ● Blank wafer A very powerful word processor.

*Since the WAFADRIVE is a SPECTRUM device, the RAINBOW plus is required for operation with the TIMEX 2068.

TO ORDER: Send Check, Money Order VISA or MASTERCARD to:

DAMCO ENTERPRISES 67 Bradley Ct. Fall River, MA 02720

or call (617) 678-2110



AT LASTII A VERY AFFORDABLE COMPUTER AT A VERY AFFORDABLE PRICE

R POWERFUL FILLY PROGRAMMABLE WITH 2R OF MEMOR BLE-678 × 1-308 INCH MODULE SINGLE-REY ENTRY OR DUPABLE OR REY MEMBRANE TYPE REYSOND—2000 A CHIP DESIGN-EDUCATIONAL—UNIQUE SYNTAK-CHEC COCOS FOR ENORS EXEMITY—GRANY DURANMED AND AND AND SCHIPTIFE FUNCTIONS—AT AN APPORDABLE PROCE

NOT TELL YOU THE MAKE OF THE COMPUTER BUT IT WAS A PAMOUS WATCH COMPANY, THEY USED TO SELL POR

GHT OUT WHAT THE PAC OVE THE LABELS, THESE L ADAPTER AND MANUAL ERE IS NO WARRANTY.

HAL'S COMPUTER GOODIES

reg. 200.95 . . . now 200.95

9V. @ 660 Ms. adapter (no for 18K RAM pecks)

18K RAM pack m

RGA TV Interface ca

TV/Computer game out

81.26

BUY 15I UNIT FOR \$19.95 BUY 2nd FOR \$16.95 BUY THE 3rd UNIT (NON OPERATING FOR PARTS) \$10.95 9V DC WALL ADAPTOR MANUAL (OVER 150 PAGES

See September 1984 Issue of 73 for TIMEX/RTTY article CHIP BONANZA OF THESE PRICE 4134 XR 2211 GPECIAL)
THE SECONE, INICROP PHIS BIT DIS + 18 BIT CPU
THES SECONE, INICROP PHIS BIT DIS + 18 BIT CPU
THES SECONE, INICROP P. CLOCK GEN, AND DRIVER.
THES SECONE, INICROP P. CLOCK GEN, AND DRIVER.
KEYBOARD (1994) 48 KEYS MEASURE 4 x 10 (9-TER)

APPLE II and APPLE II . COMPUTER MAINFRAMES fluty populated . \$150. APPLE POWER

Cassette Software:

\$29.95

PPING INFORMATION: ORDERS OVER \$25 WILL BE SHIPPED POST-PITTINS WHERE ADDITIONAL CHARGES ARE REQUESTEDOM ORDERS PLEASE ROLLUES ADDITIONAL ADDITIONAL STANDARD AND ADDITIONAL ORDERS AND ADDITIONAL ADD

HAL-TRONIX, INC. P.O. BOX 1101 - DEPT. HR SOUTHGATE, MICH. 48195 PHONE (313) 285-1782



₩ 182



"HAL" HAROLD C. NOWLAND

When you are writing a BASIC program it is often necessary to be able to switch between two screens of information. Perhaps you would like the user to be able to call a help screen, or have a player instantly "transported" to another location in an adventure game. It is simple to call the original screen drawing subroutine, but if the screen display is created by the user when the program is operating, there is no way to re-create it once it is erased or written over. This month's column is about a program that solves that problem.

The following "Screen-Save" program is written in machine code and will allow you to instantly save and re-call two graphics screens in the memory of your computer. If you have a Spectrum ROM in your 2068 the program will also work. (The people who program on the 1000 series of Timex/Sinclair machines can find two articles on saving screens in issue #3 of T-S HORIZONS). You will have to enter and call the routine from BASIC but once it is in memory it can be saved and loaded along with the stored screens as machine code.

To enter the machine code, type in, save and run program 1. The machine code will be checked as it is being poked into memory and the program will inform you if you have made any typing errors. If you have not you can save the machine code to tape by pressing the "S" key. Press any other key and the program will stop. If you would like a demonstration of the program in operation type in program 2. It draws, saves and switches between two screens.


Using the machine code in your own programs

The first line in your basic program has to "make room" for the machine code and stored screens. Use the command 'CLEAR 51484". This will ensure that the BASIC program won't write over your machine code. The code is actually comprised of four routines. Each one has a different function and is called by its own RANDOMISE USR command. The first routine saves the first screen into memory. It is called by: RANDOMISE USR 65319. The routine that re-calls the first screen using: RANDOMISE USR 65331. The routine to save screen 2 into memory is called by: RANDOMISE USR 65343. To re-call the second screen use: RANDOMISE USR 65355. To load the machine code from

tape once it has been saved by program 1 use: LOAD "code"CODE. If you have saved two screens in memory and want to save them to tape use: SAVE "code"CODE 514484,14051. This saves the program, the two screens, and any User Defined Graphics you might have created.

```
10 REM PROGRAM 2
1
 50
    NEXT
     RANDOMIZE USR 65319
 50
    PAPER 6: CLS
FOR a=0 TO 77
PRINT "SCREEN 2 ";
 80
 90
100
     NEXT
     RANDOMIZE USR 65343
FOR a=30 TO 1 STEP
110
     RANDOMIZE USR 65331
130
     PAUSE a
RANDOMIZE USR 65355
140
160
     PAUSE a
    NEXT a
PAPER 7: CLS
PRINT "DEMONSTRATION COMPLE
170
180
```

Now that you have the Screen-Save program up and running, you should be able to find some interesting uses for it. Perhaps you could even do a simple form of animation with it. Next issue I'll be writing about the SCREEN\$ function on the 2068 and 1000.



A new graphics technique called FRACTALS is being used in modelling applications to simulate crystal growth, clouds, and three-dimensional landscapes. We will work on landscapes.

A FRACTAL is an object that is put together by beginning with some basic shape, and then adding or removing fractions of it. First large pieces are removed or added, then smaller pieces, all in random fashion. This is repeated until the desired effect and resolution is achieved.

We will use the triangle as our base figure. At the beginning of the program you are asked at what level you wish to work on. Level-1 will give you 4 triangles, level-2 will give you 16 triangles. Each time you increase the level you quadruple the number of triangles, to a level 6, which gives you 4096 triangles. This is close to pixel size.

To make it more realistic, a sea level is added in line 470. You can use different INK colors for land and sea (lines 1070 and 1090) or use the variable (F1) as a flag to draw lines for fractals above sea level and dots for those below sea level or a combination of both.

ACKNOWLEDGEMENTS: Michielvan de Pamme (Creative Computing Jul 85). Scientific American-Sept. 84. And to Benoit Mandlebrot the father of FRACTAL GEOMETRY.

5 REM ##### FRACTALS #####
10 REM Converted from APPLE II
to T5-2058 by Ted Knyszek
15 BORDER 1: PAPER 5: INK 0: P
RINT : CLS

RINT : CLS 20 DIM D (65,33) 30 INPUT "NUMBER OF LEVELS (1-6)"; LE 40 LET DS=2†LE+1
50 LET HX=DS-1: LET HY=HX/2: L
ET RH=PI/6: LET UT=-PI/5
51 LET RC=COS (RH): LET RS=SIN
(RH)
52 LET UC=COS (VT): LET US=SIN
(UT)
60 FOR N=1 TO LE: LET L=10000/
1.8†N

70 PRINT #1; AT 0,0; "UORKING ON 80 LET T LEVEL IB=HX/2+N: LET SK=IB+2 GO SUB 150: REM #ASSIGN HEI ALONG X IN ARRAY# GO SUB 220: REM #ASSIGN HEI ALONG Y IN ARRAY# GO SUB 290: REM #ASSIGN HEI ALONG DIAG. IN ARRAY# NEXT N GO TO 640: REM *DRAU# GHTS 100 110 CHTS 120 130 GO TO 640: REM *DRAU*
140 REM *** HEIGHTS ALONG X ***
150 FOR T=0 TO MX-1 STEP SK
160 FOR K=IB+T TO MX STEP SK
170 LET I=K-IB: LET J=T: GO SUB
370: LET D1=D: LET I=K+IB: GO S B 370: LET D2=D 180 LET D=(D1+D2)/2+(RND-.5) +L UB 370: T I=K: LET J=T: GO SUB 420 NEXT K NEXT T: RETURN LET 199 200 210 REM *** HEIGHTS ALONG Y *** 220 FOR K=MX TO 1 STEP -SK 230 FOR T=IB TO K STEP SK 240 LET I=K: LET J=T+IB: GO SUB 370: LET D1=D: LET J=T-IB: GO S UB 370: LET D2=D 250 LET D=(D1+D2)/2+(RND-.5)+L/ :: LET I=K: LET J=T: GO SUB 420 260 NEXT T 270 NEXT K: RETURN 280 REM ### HEIGHTS ALONG DIAG. 290 FOR K=0 TO MX-1 STEP SK 300 FOR T=IB TO MX-K STEP SK 310 LET I=K+T-IB: LET J=T-IB: SUB 370: LET D1=D 320 LET I=K+T+IB: LET J=T+IB: 0 SUB 370: LET D2=D 330 LET I=K+T: LET J=T: LET D=(D1+D2) /2+(RND-.5) #L/2: G0 SUB 42 340 NEXT T 350 NEXT K: RETURN 360 REH *** RETURN DATA FROM AR RAY *** 370 IF J>MY THEN GO TO 390 380 LET BY=J: LET BX=I: GO TO 20 390 LET BY=HX+1-J: LET BX=MX-I 400 LET D=D(BX+1,BY+1): RETURN 410 REM *** PUT DATA INTO ARRAY 420 IF JOHY THEN GO TO 440 430 LET BY=J: LET BX=I: GO TO 4 50 440 LET BY=HX+1-J: LET BX=MX-I 450 LET D(BX+1,BY+1)=D: RETURN 460 REM *** PUT IN SEA LEVEL HE *** 470 IF XO(>-999 THEN GO TO 500 480 IF ZZ(0 THEN GO SUB 1070: L T Z2=ZZ: LET ZZ=0: GO TO 620 490 GO SUB 1090: GO TO 610 500 IF Z2>0 AND ZZ>0 THEN GO TO 610 510 IF Z2(0 AND ZZ(0 THEN LET Z 2=ZZ: LET ZZ=0: G0 T0 620 520 LET U3=ZZ/(ZZ-Z2): LET X3=(X2-XX) *U3+XX: LET Y3=(Y2-YY) *U3+ YY: LET Z3=0 530 LET ZT=ZZ: LET YT=YY: LET X T = XX540 IF ZZ>0 THEN GO TO 590 550 REM *** GOING INTO WATER ** *560 LET ZZ=Z3: LET YY=Y3: LE X=X3: G0 SUB 950 570 G0 SUB 1070: LET ZZ=0: L YY=YT: LET XX=XT: LET Z2=ZT: LET YY=Y3: LET X LET

TO 620

580 REM *** COMING OUT OF WATER 590 LET ZZ=Z3: LET YY=Y3: LET X X=X3: G0 5UB 950 600 G0 5UB 1090: LET ZZ=ZT: LET YY=YT: LET XX=XT 610 LET Z2=ZZ 620 LET X2=XX: LET Y2=YY: RETUR 630 REM *** DISPLAY HERE 640 GO SUB 1110: REM *** 9 PLOTTING DEVICE ON SCREEN 650 LET X5=.04: LET Y5=.04 HERE ### SET *** Y5=.04: Z5=.04: REH *** SCALING FACTORS 660 FOR I=0 TO MX: LET X0=-999: FOR J=0 TO I 670 GO 5UB 370: LET ZZ=D: LET Y 680 GO SUB 940: NEXT J: NEXT I 690 FOR J=0 TO MX: LET X0=-999: FOR I=J TO MX 700 GO SUB 370 Y=J/HX+10000: LET XX=I/MX+10000-YY/2 689 LET ZZ=D: Y=J/HX+10000: LET XX=I/HX+10000-YY 12 710 GO SUB 940: NEXT I: NEXT J 720 FOR G=0 TO MX: LET X0=-999: FOR H=0 TO MX-G 730 LET I=G+H: LET J=H: G0 SUB 70: LET ZZ=D: LET YY=J/HX*1000 740 LET XX=I/HX*10000-YY/2: G0 LET J=H: GO SUB ET YY=J/HX+10000 370: SUB 940: NEXT H: NEXT G 750 GO TO 1130: REM *** DONE PL OTTING, GOTO END LOOP *** 750 GO FIND LOUP TO THE THE TOTALE THE TOTAL 850 REM ### TILT DOWN ### 860 LET OX=XX LET XX=UC+XX-US+ZZ LET ZZ=US+0X+UC+ZZ 879 888 RETURN 899 930 REM ### HOVE OR PLOT TO (XP YPI 940 GO SUB 470 LET XX=> 950 XX=XX±X5: LET YY=YY±Y5: LET 960 GO SUB 770: REM ### ROTATE *** 970 GO 5UB 850: REM ### TILT UP **+++** 990 LET XP=INT (YY)+1: LET YP=I (ZZ) 1000 GO SUB 1030 1010 RETURN 1020 REM *** PLOT LINE HERE ***
1030 LET XP=XP*0.55+5: LET YP=17
5-(24-0.7*YP) 1040 IF X0=-999 OR F1=1 THEN LET X8=XP: LET Y8=YP: LET X0=XP 1045 IF Y8)174 OR Y8<0 OR YP)174 OR YP<0 THEN RETURN 1050 PLOT X8,Y8: DRAU (XP-X8),(YP-Y8): LET X8=XP: LET Y8=YP: RETURN URN 1050 REH ###SUITCH TO SEA COLOR 1070 LET F1=1: RETURN : REH Add INK-Optional 1080 REM ### SUITCH TO LAND COLO 1090 LET F1=0: RETURN : REM ADD INK-Optional 1110 RETURN 1150 STOP 2000 SAVE "FRACTALS" LINE 15



Mountaineer Software 749 Hill Street #6 Parkersburg, WV 26104

I have been one of those "Sinclair Junkies" since almost the beginning. Yes, I took the abuse..."You have one of those toys?!?"..."I thought that was a high-tech doorstop!"... and so on.

But, you know as well as I do that you wouldn't trade in your T/S for anything. Our motley crew of tinkerers

10 CLS : INPUT "Program Title:";a\$
12 IF LEN a\$>32 THEN GO TO 10 14 PRINT TAB 16-(LEN a\$/2);a\$
20 INPUT "Line #2 Info:";b\$
22 IF LEN b\$>32 THEN GO TO 20 24 PRINT TAB 16-(LEN b\$/2);b\$ 30 INPUT "Line #3 Info:";c\$ 32 IF LEN c\$>32 THEN GO TO 30 34 PRINT TAB 16-(LEN c\$/2);c\$ 38 PRINT : PRINT : PRINT : PRINT : PRINT 40 INPUT "Bottom Line:";d\$ 42 IF LEN d\$>32 THEN GO TO 40 44 PRINT TAB 16-(LEN d\$/2);d\$ 50 PRINT AT 21,8; FLASH 1; "Correct? (y/n)" 52 IF INKEY\$="" THEN GO TO 52 54 IF INKEY\$="n" THEN GO TO 10 100 PRINT AT 21,8;" ": INPUT "Number of copies:";x

cassette labels for my software collection. Lable Maker will work with any full-size printer interface you may have (AERCO, Tasman, A&J, Oliger) because you will use the print driver software provided with your interface to drive this program.

With this in mind, I would like to give a gift to you, " the believers". LableMaker is a short program that I wrote to

fulfill a need I had for a way to make nice looking

First, load the driver software for your interface, and save it to a blank tape. DO NOT REWIND THE TAPE!

Next, type in the simple program below. SAVE this on the tape immediately following the driver. Make sure to use the LINE command on the SAVE so that it will auto-run.

That's all there is to it! Just oe note. If you plan on using double quotes ("), such as LOAD ", you will need to input TWICE the amount you will want printed. LOAD" will need to be inputted as LOAD"""

I have found a great place to buy form feed cassette labels to use with your full size printer. CUSTOM TAPE LOADERS (8135 COX'S DRIVE, SUITE 209 PORTAGE,MI 49081) has them available in 4 colors (White-Yellow-Red-Blue) for \$1.60 per 100. Check out their prices on blank computer tapes, too.

I hope you get as much use out of this program as I did. Let me know if you make any modifications to this program.

110 FOR i=1 TO x 120 LPRINT TAB 16-(LEN a\$/2);a\$ 122 LPRINT TAB 16-(LEN b\$/2);b\$

124 LPRINT TAB 16-(LEN c\$/2);c\$ 126 LPRINT : LPRINT : LPRINT : LPRINT : LPRINT 128 LPRINT TAB 16-(LEN d\$/2);d\$ 130 LPRINT : LPRINT

140 INPUT "More? (y/n):";x\$ 142 IF x\$="y" THEN GO TO 100 150 INPUT "Another title? (y/n):";x\$

152 IF x\$="y" THEN GO TO 10

132 NEXT i

160 CLS : PRINT AT 10,8; "[Work Complete]": STOP

constantly come up with new and exciting ways to enjoy our "toys".

And with great publications such as this, we will never run out of places to share our newfound knowledge, or gain insight on how to even better use "the power within our reach"

*** CRYSTAL COAST SOFTWARE *** STARVING HACKERS SALE: 3 TRIVIA QUIZZES ONLY 19.95. Satisfaction guaranteed. ORDER NOW! VISA & MC OK. Or send for Free Catalog & Program {listing}. HURRY while offer lasts. 50 different programs in stock POB 233; MOREHEAD CITY, NC 28557

IT'S FAST IN SLOW MODE INCREDIBLE IN FAST MODE

THE BEST FILING PROGRAM FOR YOUR ZX81, TS1000, **TS1500 OR YOUR MONEY BACK**

INTRODUCING

PROFESSIONAL DATA MANAGEMENT SYSTEM

Holds more data than you ever thought possible!

Written in lightning fast 100% machine code. Sorts 1500 5-byte records in 24 seconds, 500 in 3 seconds! Searches through 1500 records in 1 second! Adds up 1500 decimal numbers in under 2 seconds. Built in word processor allows easy data entry. 4 data types stores more information in less memory. Add, change, delete, LPrint, search and query are all as easy as pointing your finger. Several different kinds of files can be in memory at the same time. Complete query system answers "How many...?", "How much...?", or "Which...?" type questions. Includes an example checkbook program which can store 400 checks in 16K! Manual includes information on how to create coupon/refund files, mailing labels, inventory control, address book, appointment schedular/calendar and your own files.

To order send \$19.95 plus \$2.00 P&H for cassette and manual: Tom €. Cole, 1314 Speight \$15, Waco, TX 76706. Texans add local tax.



IS 2068 REVIEWS BY Daniel Richardson

DAMCO Enterprises 97 Bradley Ct, Fall River MA 02720 (617) 678-2110

DAMCO RAINBOW PLUS INTERFACE \$49.95 plus \$2.00 S&H

While they are not the biggest supplier of products for Timex Sinclair market, DAMCO Enterprises has, over the months developed an impressive line hardware for the TS 2068. Most of these hardware products were developed and sold in England and the rest of the Sinclair-ized world for use with the ZX Spectrum and have been well-received there. An example of which is reviewed below, the DK'Tronics Speech Synthesizer. Of course all of these devices must be finagled to get them to work with a 2068.

That's where DAMCO's new Ranibow Plus interface in. It is DAMCO's major non-imported product and their answer to the finagle problem.

The Rainbow Plus is an elegant and simple alternative to previous Spectrum emulators. It is actually two products in one. It does what other emulators do by switching in a Spectrum EPROM to "replace" the Timex ROM in your computer. This allows the 2068 to run any of thousands of programs available for the Spectrum. But the Rainbow Plus goes a step further.

It allows the 2068 to run Spectrum <u>hardware</u>, like the DK'Tronics Speech Synthesizer (see below).

The EPROM operating system of the Rainbow Plus actually an improvement over the Spectrum ROM in that many of the latter's bugs have been corrected. The EPROM contains an expansion of the character set: 21 new symbols including the superscripts 0-9, some Greek letters and other symbols. The few Spectrum games I have loaded well on my Rainbow-ized 2068 even with my ancient tape player. Damco claims near 100% compatibility with Spectrum software.

A switch on rear of the Rainbow "toggles" your computer between the 2068 and Spectrum modes.

The Spectrum compatible expansion port completes the Spectrum emulator package. Timex users are already used to the concept of piggybacking peripherals, so the Spectrum Plus feels quite natural to me. As Damco's advertising states, the Rainbow really does give the power of two computers at the flip of a switch.



DK'TRONICS SPEECH SYNTHESIZER

\$34.95 plus \$2.50 S&H

Except for an 8-1/2 x 11 sheet of instructions DAMCO provides to supplement the instruction booklet, the DK'Tronics Speech Synthesizer arrives just like you would find it if you got it off the shelf of an English computer store. There are three items on the box: a 4-inch speaker, an interface with front and rear connectors, and a cassette tape. The interface is black, small (roughly 4x2x1 inches) and has a volume control knob and a standard earphone jack to plug in the supplied speaker.

The interface contains an amplifier and the synthesizer chip. The chip is basically the same as the ones used in most inexpensive speech synthesizers for home computers. So if your friend has a speech synthesizer for his C-64 or TI-99 you've heard it before. It's the electronic monotone that everybody expects a computer sound like.

The thing that makes the package fun and not just another toy for computer whizzes in your local user group is the text-to-speech software contained on the tape. Thanks to this software anyone can sit down at his computer and in fifteen minutes, make it talk. Using LPRINT statements in BASIC you just type in any word or sentence you want the computer to say to you, and it starts chattering away. Actually 3.5K of tape contains a table of English pronunciation rules. Using these rules the computer makes its best guess at what you are trying to say.

That's where the fun part comes in. To get the most correct pronunciation possible it is often necessary to purposely mispell words. For example never enter a word like "caught" or it will come out "coggit." A better way would be "cot" or "caut." It's easy once you get the hang of it. (Although I must admit I never could get it to say Carolyn right.)

In conclusion the DK'Tronics Speech Synthesizer is a very nice addition to anyone's computer, if you have the right "connections."

TS 1000 REVIEWS

EXIENDED BASIC: For the TS1000/ZX81 Reviewed by Peter McMullin

Have your ever wished the ZX81 BASIC allowed multistatement lines, or provided commands such as READ, DATA, RESTORE, IN, OUT, etc? Sure, lots of utilities have been around which provide these features, but most require RAND USR commands and POKEs which just aren't "friendly" BASIC. Programming genius Frits Beniest, of Holland, has come to the rescue with a superb piece of software called EXTENDED BASIC.

EX.BAS. is an actual BASIC interpreter which lives in a 3.5 K long O>REM statement. Since the EX.BAS. statements are very compact, you can still write a large program in 16K. Use of EX.BAS. does not require any POKEs or RAND USR commands. EX.BAS. is activated by the statement GOSUB O in your program. The following line begins with REM, then the EXTENDED BASIC commands. After the REM, it's almost like Microsoft BASIC. ALL the commands must be typed in (spelled out). You can include as many commands in a line as you want, separated by colons. A whole new world of BASIC programming opens up, since lots of Microsoft-type commands are included.

This makes it a snap to type in some neat BASIC listings published for the IBM, Apple, TRS80, 2068, etc. which use commands that were nonexistant in ZX BASIC.

EX.BASIC provides 22 new commands, extending Display, Data & String Handling, and Input/Output control.

DISPLAY COMMANDS include: DRAW, UNDRAW, CIRCLE, UNCIRCLE, FILL, PAPER, UNPAPER, PRINT, PRINT AT, MOYE (a window scroll), SCROLL(by N lines), CLS (fast!), COPY, SCREEN\$ (looks up character at specified screen coordinstes, & returns it to a specified variable) *These 14 commands use all 24 lines. PRINT auto-scrolls at the bottom line: no more 5/ reports!

DATA & STRING HANDLING commands include DATA, READ, RESIORE, (to specified DATA line), LEFT\$, MID\$, RIGHT\$ (slice it!)

INPUT/OUTPUT CONTROL commands include KEY (like INKEY\$, but faster, and can deal with multiple keys), IN (tests an input port and returns result to specified variable),OUT (sends contents of specified variable to indicated output port.) With these commands, you can program port-mapped control or measurement interfaces from BASIC.

EXTENDED BASIC seems to be virtually crash proof, and has 12 meaningful new report codes to tell you when you messed up. Due to the ingenious nature of the interpreter, it's incredibly fast- it can print up to 6,000 chars/sec. to the screen in SLOW mode! Due to the speed of the Display utilities. you can easily write animated games or graphics applications in EX.BAS, that rival the speed of Machine Code!

I simply cannot recommend this program highly enough. By the time you read this, it will be available from Thomas B. Woods (P.O. Box 64, Jeffferson NH 03583). Send an SASE to Tom for his rew catalog-I don't know his price but it should be in the \$16.95- \$19.95 range. Fred Nachbaur has written a 20 page manual for EX.BAS., which is loaded with examples, tutorials on the use of the "new" commands, etc. E. Arthur Brown is also distributing EX.BAS., but with the (inferior) documentation provided by the author. Until E.A. Brown makes arrangements to supply the Nachbaur manual, I'd suggest you order EX.BAS. from Tom Woods.

BOOK REVIEW by Tex Faucette

OH! PASCAL! by Doug Cooper & Michael Clancy. Copyright 1982 by W.W. Norton & Co., Inc. 500 Fifth Avenue, New York, NY 10110

ISBN 0 393 95205 3

OH! PASCAL! is without doubt one of the most friendly textbooks I have ever encountered. Thanks to the designing and typesetting of Doug Cooper, it is a "structured" volume. It has 470+ pages and 15 "structured" chapters. Each chapter proceeds in an orderly manner, and contains "error trapping" in the form of "self-check questions" which are answered on the spot. Additional self-test problems are posed at the end of most chapters; answers to these exercises are contained in a special section "in the back of the book". Most chapters also contain a specific section entitled "Antibugging and Debugging", plus a brief chapter review.

Humorous aspects of programming are not neglected. A series of time-lapse photos of a demolition project illustrate the concept that "(Sometimes) it's better to start over from the beginning". The Leaning Tower of Pisa illustrates the truism that, "Testing may show the presence of bugs, but is doesn't say much about their absence".

I seem to have damaged my only Pascal tape in mid-stream, so to speak, so I was unable to test the full range of programs and procedures contained in OH! PASCAL!. I did manage to run a few, and with excellent results, after making minor changes to accompodate the limitations of the T/S 1000 and Partial Pascal.

OH! PASCAL! is highly recommended to those interested in advancing their programming "savvy".

5-Pack of TIMEX Programs ONLY \$12.00 (Add P&H \$1.50)

THE CHECKBOOK MANAGER

The Checkbook is a personal or business checking account program which will store banking transactions. tions, keep a running balance of the account, and sort transactions in a number of useful ways.

© John Heaney 1982 Softsync, Inc.



THE HOME ASSET MANAGER

A home inventory program that can be invaluable in case of fire or theft. Records date of purchase, place of purchase, description, price, senal number and model number. Optionally yields total value of all assets. © TIMEX 1982



THE COUPON MANAGER

For coupon clippers, the T/S 1000 can keep track of those coupons showing what they are for, where they are offered, and starting and ending dates. You can list them by store or type and bring the computer age into your household, saving time and effort.

© TIMEX 1982



SUPERMAZE

Navigate your way through a three-dimensional maze, complete with trapdoors, gold bars, marker stones, and a compass. Ten separate mazes, with up to four options each. Extremely challenging and a fine use of three-dimensional graphics. © Greg Harvey 1982 Softsync, Inc.



THE GAMBLER

Program: Blackjack - Match your Blackjack skill against the T/S 1000 dealer. Full graphical display of cairds dealt and winnings. Play is determined by Casino rules. Features include: Double Down, Min-Casino rues. Peatures include: Double Lown, war-Max betting. The superb graphics of this game lend a degree of realism not seen before. Program: Sold Machine — Displayed is the T/S 1000 Stot Machine, complete wilth rolling numbers, payoff values, and coindrop.



HCS Software, P.O. Box 1754, Portsmouth OH 45662

T-S NEWS

The MIDWEST TIMEX-SINCLAIR COMPUTERFEST, is scheduled for May 3rd and 4th, 1986. Your club is invited to attend the computer fest in Cincinnati. Clubs may rent a 4' x 8' table for

Cincinnati. Clubs may rent a 4' x 8' table for \$10, for selling, copying, and trading of, newsletters and original programs, demonstrating software, hardware, and for generally promoting your club. This is a special exhibitors price for clubs only!

Preregistion. FAMILY-\$7.00 ADULTS-\$4.00 DOOR PRICE... FAMILY-\$8.00 ADULTS-\$5.00 (These admission prices cover both days of the fest.) SEND INQUIRES TO: (S.A.S.E.) T/S COMPUTERFEST, 3832 WATTERSON AVE., CINTI. OH 45227 PLEASE INCLUDE THIS MESSAGE IN YOUR NEWSLETTER!!!!

ITEM: Someone asked me the other day if Byte Back was still in business or not. The answer is yes. Byte Back was one of the earliest American supporters of the machines, and their latest catalog still contains quite a lot of great addons for both the TS1000 and TS2068. They carry a 64K RAM for the TS1000/ZX81, with special features like battery back-up, 24 pin EPROM socket, and more, for \$99.95; a real time clock \$79.95; their own modem \$29.95; RS-232 and centronics parallel interfaces \$69.95; and more. Add \$4.95 shipping. Byte Back, Rt. 4, Box 54, Bednbaugh St, Leesville. SC. 29070, (803) 532-5812. Write for a catalog and tell them who sent you.

ITEM: AN-TO Productions(9009 W. Elm St.*2, Phoenix AZ 85057) carries a line of plastic keyboard overlays for the TS 2068, for use with Tasword II and MScript (and soon for Omnicalc and other programs). These overlays help in word processing and data entry by helping you to find the keys and they have tables printed on the top half for quick reference. Only \$3.99 each (specify) or \$7.50 for two. Blank overlays are also available to customize to your needs for \$3.00 each. Add 50¢ per order for postage and ahndling.

CUCKEY

A COMPANY OF THE PROPERTY OF THE PROPE

ITEM: If you've ever heard of DARKSEID, STRONTIUM DOG, DANGERMOUSE, and ASTERIX & OBELIX you're probably a real comic book fan. These are just a few of the computer games available for Spectrum users in England. If your interested in any of these games try the English Micro Connection, 5 Kilburn Ct., Newport, RI. 02840. (By the way Darkseid is featured in the popular "Superman" game for the Spectrum).

ITEM: Remember the TS 1510 cartridge dock that Timex came out with in 1983? It allowed the ZX81, TS 1000, and TS 1500 to run instant loading, plug-in cartridges. Well now Zebra Systems is selling the TS1510 along with three cartridges-Flight Simulator (considered by some to be the best game type program to come out for the TS1000), Chess (the Timex standard, we assume), and Supermath (never heard of it) as a set for *39.95. Quantities are limited. Zebra SAystems, 78-06 Jamaica Av., Woodhaven NY 11421. Many other items are reduced, too.



T/S 1510 COMMAND CARTRIDGE™ PLAYER

T-S NEWS CONTINUED

Applied Sinclair: Subroutines and Programs for the Mathematically Minded. A book for all levels of programmers and users of Sinclair computers. It comes with a cassette tape containing 59 demonstration programs (TS2068 only). The book features interesting mathematical diversions, including: Curve-plotting: Cartesian, Polar, and Parametric descriptions; Contour-plotting: 2-d surfaces; Decimal-place calculations; Basechanging: Integer and fraction. It contains experiments in computer programming and numerical-analysis problems. including: Matrix-inversion, with determinant calculation; Numerical integration, with error calculation (= and \Leftrightarrow step-size); Discrete convolution. It is a source-book for useful programs and subroutines, including: Rootfinding: Systems of equations; Data regession: Linear and non-linear, multi-variable; Differential equations. Some of the features of the book are: Line-compatibility: All prog's/sub's and demo's may be in memory at the same time. Some sub's/prog's/demo's make use of several other sub's so that much repetition has been spared. Written in <u>Sinclair Basic</u>: Sub's/prog's will run on ZX80 with 8K Rom, ZX81/TS1000, TS1500, TS2068, and SPECTRUM. 168 pages, 59 dem's, 25 central sub's/prog's. Price: Book only \$13, Book and tape for TS2068 \$16.00. Address-RICHARD BOOTH, SHERMAN FAIRCHILD LAB, LEHIGH UNIVERSITY, BETHLEHEM, PA 18015 (215) 861-3951.

ITEM: A new 2068 printer interface from Hacksel Electronics, 247 Queen St. W., Toronto, ONT, CAN, M5V 1Z4. (416) 596-1663. Hacksel claims it works with all Centronics-type printers, allows full page, hi-res color screen copies using a gray scale, is compatible with software designed for the Aerco and Tasman interfaces as well as Omnicalc II, Vu-Calc, and Vu-File. Available in cartridge port or rear-edge connector boards for \$49.95 (U.S.) plus \$4.00 postage and handling. Write or call for more information.

SHARP'S INC.

Rt 10 Box 459 Mechanicsville, Va. 23111 (804) 746-1664 9am to 5 pm (804) 730-9697 5pm to 11pm

SOFTWARE FOR T/S 2068:

WAR IN THE EAST EACH \$19.95
FALL OF THE 3rd REICH 2 FOR 34.90
ARDENNES 3 FOR 49.85
BRITAIN INVADED!
FALL OF ROME
REDCOATS


These are military strategic wargames. Write or call for more information.

QL COMPUTER \$289.00 Includes shipping Software & Hardware available for QL. Write for catalog. VISA & MASTER CARD accepted

Ad Index	Page
AFR Software	2
Cole,Tom	22
CTM	15
Crystal Coast Softwar	e 22
Curry	15
Sames To Learn By	4
Damco	18
Gulf Micro	28
Hal-Tronics	18
HCS	24
Russell Electronics	29
Sharp's	26
Simulsion	15
SUM	18
Time Designs	15
Zebra 30,3	31,32

INDEXATION OF VOLUME 2, NOS.11-16

INDEXATION OF VOLUME II, NOS. 1	1-16 (Jan. '85	QL Report (Curry Computer)	
to Nov. '85)		14-15, 15-29	, 16-28
In the three indices below, the follow each entry indicate the is	numbers that	QZX (Ham radio)	14-30
follow each entry indicate the is	ssue and page	READ, DATA, and RESTORE Simulation (1000)
number where the article appears	5.		13-24
GENERAL INDEX		Recorder, Use and care of tape	14-13
The Timey or Singlein accounts		REM Builder utility (1000)	12-7
The Timex or Sinclair computer following articles apply is	to which the	Scroll, Byte-Mapped (2068)	15-18
following articles apply is parentheses after the listing, u	nless this is	SETYPE (2068)	13-15
implied by the listing itself of article is applicable both to the	r unless the	Simulating READ, DATA, RESTORE(1000)	
TS 1000.	15 2068 and	Sinclair programmable calculators	14-20
		Spectrum conversion	15-20
		STARTEXT	12-11
A&J Microdrive 11-	29,14-6,14-8	Stopper (1000)	16-12
Amateur Radio (TS users)	14-30	Superprinter (lower case printing for t	the
Bar graph program	11-11	TS 1000)	11-14
Bank Switching (1000)		Surge suppressor project	14-9
pt. 7,11-18; pt.8 (concl) 12-22		0,16-12
[20] [4] 아니아 [4] 아이아 [4] 아이아스 아이아스 아이아스 아이아스 아이아스 아이아스 아이아스 아이아	notes, 16-14	TextEditor 2000(BASIC word processor	
Bank Switching (2068)	14-16	Try These 13-8, 15-	4, 16-7
Byte Back Modem, Experimenting		TS Help and Information 11-7	
Byte-Mapped Scroll (2068)	15-18	Typestyles, variation of (2068)	
Cassette tapes, use and care of	14-13	UnLISTable REM lines (1000)	12-20
Checkbook Balancer (1000)	16-13	User Designed Graphics (2068)	13-7
Clock (1000)	12-20	User Group Service Report	14-10
Disk Drives (1000)	15-14	VuCalc (1000)	
Disk Drives (2068)	12-8	modification for full-sized printe	
DVORAK Keyboard Modification (1000)	additional notes	16-18
see Worm I	Enhancements	Word Processors (2068), reviewed	
Game Scoreboard	12-18	pt. 1, 11-24; pt. 2, 12-13; pt. 3	
Graphics displays (2068)	15-7	World of Sinclair	16-6
Graphics Loop, MC (2068)	14-19	WORM enhancements (1000)	13-13
Graphics program (2068)	16-11		-8, 16-9
Joysticks (2068)	16-21	Z80 Op Codes	12-20
Keyboard project (1000)	14-12,15-6	也有关。 1000年第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
I inachael assessed			154888



12-10

16-10

11-14

15-10

12-7

14-16

16-20

12-15

14-9

12-20

12-19

12-20

14-9

16-13

10-18, 11-10

Linecheck program

Machine code tutorial

Machine code - utility

MTerm II Tutorial

Number to Word

Op Codes, Z80

Memory expansion (2068)

Programming Tips (1000)

Quick Balance (1000)

Phone number convertor (2068)

Mterm, use with Spectrum ROM

MTerm I, 80-col. printer patches
Tasman and Aerco interfaces

"OPEN" and CLOSE" tutorial (2068)

Line renumbering routine (2068)

Lowercase printing (1000)

PRODUCT REVIEW INDEX

The Timex or Sinclair computer to which the following reviews apply is indicated in parentheses after the listing, unless this is implied by the listing itself or unless the review is applicable both to the TS 2068 and TS 1000.

A&J Microdrive (2068)	11-29
see also 14-6, 14-8 (letters)	
ACZ General Ledger (2068)	12-27
Aegean Voyage(2068)	15-24
Alphabet Zoo (2068)	15-24
Artworx (2068)	15-23
Backgammon (2068)	12-26
Beach Head (Spec)	14-24
Biz (2068)	16-21
Blippo Sound Effect Generator (1000)	11-35
ChromaSoft (1000)	16-27
Compudex Telephone Dialling System (1000)	13-12
Computer Interfacing Techniques in Sc	
Compacer interracing reclimates in Sc	16-24
Coupon Manager (1000)	
	14-26
Crunchers: 21 Simple Games (1000)	12-28
Dangermouse (Spec) Deathchase (2068)	14-24
	11-32
Draw II (2068)	16-22
Facemaker (2068)	11-30
Frogger (2068)	11-32
51 Game Programs (1000)	12-28
Forty Niner (1000)	15-28
Gambler (1000)	14-26
Gamesmate Joystick Interface	15-24
Grafist (2068)	11-26
Home Asset Manager (1000)	14-26
Kids on Keys (2068)	11-30
Kindercomp (2068)	11-30
Letterwriter (2068)	12-14
Logic Levels (2068)	15-24
Masterfile (2068)	11-31
More Uses for Your TS/1000: Astronom	ıv
On Your Computer	11-34
MSCRIPT (2068)	14-22
Music Library (1000)	11-33
Number Tumblers (2068)	15-24
Partial Pascal (1000)	16-22
Penetrator (2068)	11-28
Powerful Projects with Your TimexSir	
Powerful Projects with four TimexSil	16-25
Pro File 2068	13-27
ROMFIX (2068)	
ROMPAK (1000)	15-24
	11-33
Software Supermarket Catalog	13-27
Supermaze (1000)	14-26
Superscreen (1000)	14-29



	A STATE OF THE PARTY OF THE PAR
Tasword II (2068)	12-13
Tech Draw Software (2068)	14-21
TextEditor 2000	14-22
TEXTMAN (2068)	14-22
Textwriter (2068)	12-13
T.S.S. Guidebook	11-27
Up & Add'em (2068)	15-24
VIEWord (2068)	12-14
WIDJUP Word Processor (2068)	14-23
Winkey Board 2000	12-26
Wiz, The (2068)	15-22
WORD-MOST (2068)	14-22
Word 1.5 (2068)	14-22
WORD* (1000)	15-28,16-27
YS Mega BASIC (Spec)	15-25
Zebra Graphics Tablet (2068)	14-21

Smart Text TS-2068

and the new

Smart Text OS-64 (For the Zebra OS-64 Cartridge)

With Universal Intfc/Printer Patch For all Configurations

Three Integrated softwares that does most all administrative functions Word proc - Data files mgt - Mailing List - Form Letters - Mailing Labels Repeat printing - Auto Letter Heads.

Supports all Printers, plus TS-2040.

29.95 + \$3.00 mailing to: Bill Jones Gulf Micre, 1317 Stratford Ave, Panama City, FL 32404

AUTHOR INDEX

Below is a list of articles by some of TS Horizons' most active contributors. In general, reviews are not listed. Also writers who have only had one article published are not listed.

Bell, John - In Sync

-	Linecheck (1000, 2068)	12-10
*2	User Defined Graphics (2068)	13-7
	Surge Suppresses Desiret	

*3 Surge Suppressor Project
(and "Number To Word" program) 14-9

*4 Effective Graphics (2068) 15-7

#5 Line Renumbering Routine(2068)16-10

Bush, Bernard

Machine Code Graphics Loop	14-19
Clover Graphics Programs	16-11
us "Try These" submissions	

Curry, Rob

plu

QL Report 14-14, 15-29, 16-28

Faucette, Tex

Odds, Ends, Etc. #2 12-11 plus many reviews

Bill Ferrebee

Bits and Bytes #3,11-8; #4, 12-2 In Touch With the World 11-10 MTerm II Tutorial pt 2, 11-10

2068 Word Processor Evaluation

pt.1,11-24; pt.2, 12-13; pt.3, 14-22

MTerm Printer Patches 12-15

Editorial

plus a great number of reviews

Gangi, Doug
"OPEN*and CLOSE*" Tutorial 12-19

plus reviews



Gindin, Art

Reviews for the Non Programmer 14-20, 14-29, 15-28, 16-27

Young, Gordon

Experimenting with the Byte Back Modem

11-12

Hunter, Paul

Bank Switching pt.7, 11-18, pt.8, 12-22

additional notes 16-15

Logic Families

16-14

Marion, John

TS Help and Information 11-7,13-10

Surplus Keyboard Project(1000) 14-2,15-6

White, Mather

More Programing Tips (1000) 12-20

plus reviews

Woish, Bob

Charge Account Bargraph 11-11

Quick Balance 16-13

plus reviews

Wollach, Allen

Simulating READ, DATA, RESTORE (1000)

13-24

Worm Enhancements

13-13

TAKE A QUANTUM LEAP WITH THE SINCLAIR QL



The most advanced micro computer of today at least cost, size and weight — now only \$299.* with 2 micro drives, 4 superior interactive programs, multi-tasking, 32 bit architecture. IN STOCK NOW.

*w. shipping incl., 10% discount on first 2 pieces software.

QL SOFTWARE on microdrive cartridge from Sinclair in stock.
Chess \$20.95*; Cavern \$15.95*; Toolkit, Monitor, Home
Finance, Gardner \$25.95 each*;**Assembler, Decision
Maker, Project Planner, Entrepreneur \$38.95 each*.
(*shipping incl.) Blank microdrive cartridges 4/\$10.50*

SAL€ until 2/28: • GRM€SMAT€ joystick-interface for TS2068 cartridgeport for Spectrum programs w. Kempston option - \$18.50*

WINKY BOARD for TS2068, Spectrum, TS1000/1500, ZX81 - \$19.95

• ROMSWITCH adds ZXSpectrum power to TS2068, & GAMESMATE - \$61.50*

Send for free catalog of products for all Timex-Sinclair computers. Free gift with orders. Request QL info./accessory list. Russell designed QL products are coming soon!

RUSSELL ELECTRONICS



RD 1 Box 539, Centre Hall PA 16828. (814-364-1325)

14-8

ZEBRA DOES IT AGAIN!

WITH EVEN MORE NEW EXCITING PRODUCTS!



The Z-Clock's built in battery back-up feature lets you keep track of time even when your computer is turned off. When you turn on your TS2068, the Z-Clock can tell it the YEAR, MONTH, DATE, DAY OF THE WEEK, and the TIME OF DAY down to tenths of a second with crystal controlled accuracy. The clock is easily accessed from BASIC or assembler. The Z-Clock features a 64-pin bus extension connector.

Catalog #: C400

Z-Clock

Price: \$39.95



Z-STICK

Kempston Compatible Joystick Interface

Zebra Systems is happy to introduce Z-Stick, the ideal companion to your Spectrum Emulator. Z-Stick is a joystick interface for use with Spectrum game software on a TS2068. Because Z-Stick is compatible with the famous Kempston Joystick Interface so popular in Great Britain, it is supported by the majority of British Spectrum Game Software. But that's not all. While our engineers were at it, we decided to throw in some additional features to add to your enjoyment. The Z-Stick includes two jacks for SOUND and BEEP; an L.E.D. power-on indicator so you can tell if you've left your TS2068 on even if your TV is off; and a computer reset switch to save wear and tear on both you and your computer's power switch. For those who don't already own a Spectrum Emulator, we have the Z-Stick PLUS, which includes a Spectrum Emulator for just \$10.00 more.

The Z-Stick interface works with your Timex TS2090 joystick or any Atari compatible joystick. Z-Stick attaches to the rear expansion-connector of your TS2068 and features a full 64-Pin feed-through expansion connector for maximum compatibility with your other TS2068 peripherals.

 Catalog #: C401
 Z-Stick
 Price: \$29.95

 Catalog #: C402
 Z-Stick PLUS
 Price: \$39.95

 Catalog #: C121
 Atari Compatible Joystick
 Price: \$ 9.95

 Catalog #: C147
 Deluxe Joystick
 Price: \$19.95



64 Column Terminal Program


When we started shipping our OS-64 64-column operating system cartridge, the most often asked question was: "Will MTERM II work in 64 columns with OS-64?". Unfortunately, the answer was no. But now Z-Term 64 has arrived! And not only does it support 64 column operation, but also the entire list of most often requested modem features including: clearer menus and documentation than MTERM II, Auto re-dialing, built-in text editor, expanded upload and download features including ASCII conversion of BASIC programs, Xmodem protocol, and built-in 80 Column printer support for on-line printing. Z-Term 64 also supports ZEBRA Disk, A & J Stringy Floppy, and Cassette for storage of downloaded programs, text and data. Supplied on cassette with user's manual. (Requires OS-64, NOT INCLUDED) NOTE: Neither Z-TERM 64 or OS-64 support the 32 column TS2040 or Alphacom/32 thermal printers.

Catalog #: C278

Z-Term 64

Price: \$29.95

OS-64 64 Column Operating System Cartridge
Catalog #: C271 OS-64 64 Column Cartridge Price: \$29.95



Z.A.D.

Zebra
Analog
Digital
Interface

Experimenters rejoice! You can now get an inexpensive 8-Channel Analog-to-Digital interface for your TS1000, TS1500, TS2068 or ZX81 that opens the door for your computer to the real world. The manual provided includes sample applications and I/O software. Z.A.D. features a 46-pin feed-through connector for peripheral expansion. Each A to D channel has 8-bit resolution and 0-5 Volt full scale range. There are many good application suggestions for using A to D's in the following two books also available from Zebra Systems: Computer Interfacing Techniques in Science, Powerful Projects for the Timex/Sinclair.

Catalog #: C403 Z.A.D. Price: \$39.95

Send for FREE 48 Page Timex Product Catalog.

Please include \$3.00 Shipping with all orders, C.O.D. Orders add \$3.00.

NYS Residents add appropriate Sales Tax. We accept VISA and MASTERCARD.

ZEBRA SYSTEMS, INC.

78-06 Jamaica Avenue, Woodhaven NY 11421 (718) 296-2385

SURPLUS BARGAINS

NEW, UNTESTED, & UNCASED WC2050 MODEM BOARDS

Anchor Automation sold these fully assembled boards as surplus at an auction. They are untested and are offered on an AS-IS, NO-RETURN basis. Since we've announced the availability of these boards, we have been selling in excess of a hundred per week. Customers have reported that better than 2 out of three have been fully functional as received, and most of the others have been easy to repair.

Catalog #: W251

\$10.00 each, or 3 for \$25.00, 10 for \$70.00

9 Volt DC - 700ma Power Supplies

These are brand new Sinclair ZX-81 power supplies and are perfect for your ZX81, TS1000/1500, or for use with the modem boards above. Quantity discounts are available.

Catalog #: PS01

\$6.00 each, or 2 for \$10.00, 3 for \$12.00

RS-232 Conversion Kit For WC-2050 Modem Boards

The price of our untested & uncased modem boards is so reasonable that not only are they being used as modems, but also the boards and sometimes just their parts are being put to many other uses by creative Timex hobbyists and experimenters. One of the things we've done at Zebra Systems is develop a very simple circuit to change one of these Modem boards into a general purpose RS232 board, which can then be used to drive serial printers and other devices. We thought the idea was so simple and cost-effective that we're making it available as a product.

We are introducing a complete kit consisting of a small printed circuit board, 3 IC's, a DB-9 connector, other miscellaneous parts, and instructions. The board developes the negative voltage required for true RS232 and has proper Driver and Receiver chips. After installing our RS232 board with a pin and socket system right onto your modem board's 8251 Serial chip, all that remains is to make 3 trace cuts and add one jumper wire to complete installation. Clear instructions are provided with a discussion of the theory of operation and some simple BASIC and assembly language printer drivers.

A short experimenters guide to the WC2050 is included. It explains such things as how to change the address decoding to other port assignments, how to change baud rate under software control, and more.

The WC2050-to-RS232 Kit (Catalog #: C183) includes all parts and instructions necessary for installation and operation. A bare board for the modification is also available.

Catalog #: C183

WC2050-to-RS232 Kit

Price: \$19.95

Catalog #: C184 PC Board and Instructions only Price: \$ 5.95

AS-IS ZX81 COMPUTERS

Many months ago we purchased a large quantity of returned ZX81 computers from a Sinclair Repair Depot. These computers were sent back to Sinclair for repair (in some cases by owners who simply could not load tapes or operate the computer properly.). These computers are offered on an AS-IS, NO-RETURN basis. We've been selling these returned computers to members of local Timex clubs who have reported that a large number of these ZX81 are already working, or can be easily repaired.

Catalox #: ZX81

\$10.00 each, or 3 for \$25.00, 10 for \$70.00

WC2050 MODEM SALE!

LAST 100 WC2050 MODEMS

Zebra Systems has purchased the entire remaining stock of fully assembled and tested WC2050 modems from Anchor Automation. These modems come complete with power supply, MTERM I software on cassette (see below), user's manual and a one year limited warranty from Anchor Automation. Hurry less than 100 units left!

Catalog #: W250

Originally \$119.00, Now Only: \$69.95

ZEBRA PUBLISHES MTERM

Zebra Systems has purchased the rights to publish the MTERM series of Terminal software for Timex computers with WC2050 modems.

MTERM/T for the TS1000/1500/2068

MTERM/T (also known as MTERM I) is a smart terminal program which has the following features: auto-dialing of phone numbers, change modem parameters, change Border, Ink, and Paper colors (TS2068 version only.). MTERM/T is supplied on tape with user's manual.

Catalog #: ST01

MTERM/T

Price: \$12.95

MTERM II for the TS2068

MTERM II is an advanced software package for your TS2068 equipped with the WC2050 modem. MTERM II features a 14 Number Auto Dial Directory, 27k Send/Receive buffer which can be erased, viewed, printed, or transmitted, 10 Macrokeys which hold up to 53 characters each for auto logon, codes, etc.. You can transmit and receive BASIC programs, and text from a BBS or another TS2068 Computer. MTERM II is also available on fast-loading Zebra Command Cartridge format.

Catalog #: ST02

MTERM II Tape

Price: \$29.95 Price: \$34.95

Catalog #: ST2C MTERM II Cartridge

TERM II

The Complete Guide to MTERM II By Barry Carter

This book tells you all you wanted to know about MTERM II. It details many features of MTERM II that were left out of the manual. A MUST-HAVE book for MTERM II owners!

Catalog #: C139 Complete Guide to MTERM II

Price: \$8.00

MINI XMOD 1.7 for the TS1000/1500

MINI XMOD 1.7 allows your Timex 1000/1500 or ZX-81 equipped with a Westridge 2050 modem to Up and Download programs to any XMODEM Protocol BBS (Like ZEBRA BBS). Includes 16k and 64k versions on cassette and User's manual. Requires a minimum of 16k of RAM.

Catalog #: WE01

MINI XMOD 1.7

Price: \$19.95

Send for FREE 48 Page Timex Product Catalog.

Please include \$3.00 Shipping with all orders.

C.O.D. Orders add \$3.00 additional.

NYS Residents add appropriate Sales Tax.

We accept VISA and MASTERCARD.

ZEBRA SYSTEMS, INC.

78-06 Jamaica Avenue, Woodhaven NY 11421 (718) 296-2385



THE BEST DISK SYSTEM FOR THE TS2068 JUST GOT EVEN BETTER!

New Packaging, Plus 64k

The best Disk System for the TS2068 just got even better! The FDD-3000 for the TS2068 retains all the features and compatibility with the original Zebra Disk System. The FDD-3000 contains the Power Supply, FDD Controller, and space for 1 or 2 disk drives in a compact attractive black metal case. This case is sturdy enough so that you can place a monitor or small portable Television on top to give that IBM-like high-tech appearance.

The FDD-3000 features the same Intelligent Controller as the original FDD, but with an expanded Internal RAM of 64k. Yet it is still 100% software compatible with the original FDD.

Like our original Disk System, the FDD-3000 is compatible with all of your existing TS2068 peripherals including the TS2040 and A.phacom/32 thermal printers, the WC2050 modem, Aerco CPI, Taoman CPI, A&J Microdrives, Zebra Talker, Zebra Graphics anterface Z-Stick, Z.A.D., OS-64 Cartridge and more! The FDD-3000 is available in one-drive and two-drive models. Each drive stores 160k of data per side of a diskette for a total of 320k per disk.

FDD-3000 64k CP/M 2.2 Option

Available as an option to the FDD-3000 is the 64k CP/M 2.2 operating system from Digital Research. While the FDD-3000's T.O.S. operating system is one of the most powerful disk operating systems available for a personal computer, the CP/M option for the FD-3000 will let you access the large library of CP/M-80 business and personal software.

The CP/M 2.2 option includes a terminal emulator program which allows your TS2068 to run CP/M in 64 column mode (High-Res Amber or Green monitor recommended.). A Driver is included to use your 80-column printer from CP/M through the FDD-RS232 port.

FDD-3000 Spectrum Mode Option

An additional option is available for those who wish to run Spectrum software on their FDD-3000. When coupled with a Spectrum Emulator it allows you to LOAD, SAVE, and RUN Spectrum software from FDD-3000 Disk.

FDD-3000 Single Drive System

Single Drive starter system includes: FDD-3000 with One 3" floppy drive, TS2068 Interface, T.O.S. operating system disk, and user's manual.

Catalog #: C550 FDD-3000-1 Price: \$375.00

FDD-3000 Dual Drive System

Same as above, but with two 3" disk drives.

Catalog #: C551 FDD-3000-2 Price: \$425.00

FDD-3000 64k CP/M 2.2 Option

Includes 64k CP/M 2.2 System Disk, 64 Column Terminal Emulator, and user's manuals.

Catalog #: C552 FDD-3000 CP/M Option Price: \$50.00

FDD-3000 Spectrum Mode Option

Switchable option to allow FDD-3000 to operate in Spectrum Mode. (Requires Spectrum Emulator, not included.)

Catalog #: C553 FDD-3000 Spectrum Option Price: Call
Catalog #: ZMU1 Deluxe Spectrum Emulator Price: \$29.95

Blank 3 Inch (360k) Floppy Diskettes

 Catalog #: C504
 Box of 5 3" Diskettes
 Price: \$19.95

 Catalog #: C503
 Box of 10 3" Diskettes
 Price: \$39.95

FDD RS232 Serial Printer Cable (Optional)

Catalog #: C505 FDD Serial Printer Cable Price: \$19.95

Original Zebra FDD 64k CP/M 2.2 Upgrade

Same as FDD-3000 option, requires return of FDD Controller to Zebra Systems for exchange/upgrade.

Catalog #: C510 FDD CP/M 2.2 Upgrade Price

Original Zebra FDD Spectrum Mode Upgrade

Same as FDD-3000 option. Requires return of FDD Interface to Zebra Systems for upgrade. (Requires Spectrum Emulator, not included.)

Catalog #: C511 FDD Spectrum Mode Upgrade Price:

Original Zebra FDD Add-on Drive

Catalog #: C501 FDD Add-on Drive B Price: \$125.00 (Prices subject to change without notice.)

Send for FREE 48 Page Timex Product Catalog.

Please include \$3.00 Shipping with all orders, C.O.D. Orders add \$3.00.

NYS Residents add appropriate Sales Tax. We accept VISA and MASTERCARD.

ZEBRA SYSTEMS, INC.

78-06 Jamaica Avenue, Woodhaven NY 11421 (718) 296-2385